

# Index

## A

- Abdominal abscessation, 103–104  
adult horse with, 103  
postmortem examination of horse with, 103  
thickened large colon in horse affected by, 104
- Abdominal adhesions, 104–105  
adult horse with, diarrhea and “cow pie” feces related to, 105  
adult horse with severe weight loss caused by, 104
- Abdominal pain (colic), 46–52. *See also* Colic
- Abdominal region, diseases of, 46–115  
abdominal pain (colic), 46–52  
large intestine diseases, 78–99  
miscellaneous diseases, 103–115  
small colon diseases, 99–102  
small intestine diseases, 59–77  
stomach diseases, 53–59
- Abdominal ultrasonography, 105, 107
- Abdominocentesis, in horse affected by peritonitis, 105, 106
- Abnormal tooth wear, 36–37  
at buccal aspect of tooth 406 and 407 in 10-year-old gelding, 36  
severe atypical wear of mandibular incisors, 37
- Abortion  
close to term, 502  
long umbilical cord as cause of, 502–503  
mammary gland enlargement prior to, 501  
twinning and, 497–499
- Abscesses  
corneal, 534–535  
pulmonary, 604–605  
tooth root, 436–437
- Acquired flexural contracture, 647
- Acquired leukotrichia, 257–259  
cribbing strap and, 257  
incorrect bandaging and mature quarter horse with, 257  
mature quarter horse with, 257
- Actinobacillosis, 259–260  
characteristics and treatment of, 259  
mare with, after foaling, 260  
mature pregnant mare affected with, serum exudation related to, 259
- Actinobacillus equuli*, septicemia in neonatal foal due to, manifested as uveitis and hypopyon, 591
- Acute pneumonia, 603
- Acute renal failure  
hematuria in horse affected with, 561  
horse with severe depression affected with, 560  
postmortem photograph of horse affected with, showing severely swollen kidneys, 562  
postmortem photograph of kidney in horse affected with, 562
- Adenocarcinoma, 181
- Adrenal gland, adenoma of, found in horse with clinical signs of PPID, 527
- Adrenal tumor  
adenoma, 527  
pheochromocytoma, 527
- African horse sickness, 208–209  
clinical signs and diagnosis of, 208  
pulmonary subserosal petechiae and ecchymoses, 209  
severe intermuscular edema, 209  
subcutaneous edema of supraorbital fossa, 208  
Thoroughbred racehorse with severe conjunctival edema due to, 208
- Agitation, colic and, 46, 47–48
- AI. *See* Aortic valve insufficiency
- Allantoic fluid, normal amount of, 490
- Allergens, recurrent airway obstruction (heaves) and, 190
- Alloimmune thrombocytopenia  
clinical signs, diagnosis, and treatment of, 658  
mucous membrane petechiae in foal due to, 658
- Alopecia  
dermatophilosis and, 279  
dermatophytosis (ringworm) and, 281  
onchocerciasis and, 296  
telogen defluxion and, 319
- ALS. *See* Amyotrophic lateral sclerosis (Lou Gehrig's disease)
- Alternaria*, phaeohyphomycosis and, 323
- Altrenogest (Regumate), 498
- American paint horse foals, intestinal aganglionosis (lethal white syndrome) in due to overo-overo mating, 625
- Amiodarone, atrial fibrillation treatment and, 154
- Amputation, penile, 456
- Amyotrophic lateral sclerosis (Lou Gehrig's disease), 237
- Anestrus, fetal death followed by, 477
- Aneuploidy, intersex and, 473
- Angular limb deformity  
carpal valgus, in foal, 634–636  
fetlock varus, in foal, 638  
tarsal valgus, in foal, 637

- Anhidrosis, 336–337  
 clinical signs, diagnosis, and treatment of, 336  
 dose-dependent sweating in response to intradermal injection of beta-2 agonist in neck of unaffected horse 20 minutes postinjection, 337  
 horse evaluated for poor performance due to, 336  
 intradermal injection of beta-2 agonist using tuberculin syringe, 336  
 intradermal injection of serial dilutions of beta-2 agonist 3 minutes postinjection, 337
- Antebrachiocondylar joint, mild osteoarthritis of, 392
- Anti-arrhythmic therapy, for hemodynamically unstable horses, 166
- Antibiogram, 478
- Antibiotic induced colitis  
 horse with watery diarrhea affected with, 102  
 ultrasonographic image of right dorsal colon of 6-month-old foal with, 102
- Anti-inflammatory medications, 191
- Anus, ulcerative dermatitis and crusting and erythema around, 657
- Aortic aneurysm, 164  
 postmortem photograph of, 166
- Aortic insufficiency  
 characteristics of, 143  
 color flow Doppler image of, right parasternal long axis view, 143  
 electrocardiogram from horse with chronic degenerative valve disease, ventricular premature contraction, aortic insufficiency and, 146  
 M-mode image of mitral valve from horse with, 144
- Aortic regurgitation, continuous wave Doppler evaluation of, 144
- Aortic root disease, 164–168
- Aortic rupture, uniform ventricular tachycardia secondary to, Holter monitor recording, 166
- Aortic valve, bacterial endocarditis of, 145
- Aortic valve insufficiency, 143–146  
 echocardiographic image, right parasternal long axis left ventricular outflow view, 143  
 phonocardiogram of, 145
- Aortocardiac fistula  
 color flow Doppler image of, 165  
 echocardiographic image of, 164, 165  
 postmortem photograph of rupture into right atrium, 167
- Aortoiliac thrombus  
 characteristics of, 168  
 sonogram of, 168
- APC. *See* Atrial premature contraction
- Apical fractures, description of, 385
- Appaloosa breed, equine recurrent uveitis and, 546
- Appaloosa gelding, with chronic incisor periodontal disease with cemental hypoplasia, 19
- Arabian fading syndrome, horse affected with, 328
- Arrhythmogenic right ventricular dysplasia, 137
- Articular facet reaction bone (bone proliferation), 424–425
- Articular fracture, of wing of third phalanx, 367–368
- Artificial insemination, vaginal examination and, 464
- Aryepiglottic fold entrapment, 440–441
- Arytenoid chondropathy  
 cause, signs, and treatment for, 188  
 with “kissing” lesion on right arytenoid, 188
- Ascariasis, intestinal rupture due to ileal obstruction with *Pascaris equorum*, 620
- Ascarid impaction, 60
- Ascending placentitis, 501
- Aspiration pneumonia  
 causes of, 196  
 lateral thoracic radiograph in horse with, secondary to esophageal obstruction, 196  
 secondary to esophageal obstruction, in a foal, 44
- Asynchronous teeth eruption, 27
- Ataxia  
 equine herpes virus 1 (EHV-1) myeloencephalitis and, 229  
 equine protozoal myeloencephalitis and, 234
- Atheromas, 260–261  
 approaching cyst directly from dorsolateral aspect of nostril, 261  
 weanling Arabian filly with, 260, 261
- Atresia ani, in filly foal, 624
- Atrial fibrillation, 154–158  
 base apex surface ECG showing, with delivery of electrical shock, and conversion to normal sinus rhythm, 158  
 characteristics and treatment of, 154  
 ECG from horse with, secondary to mitral regurgitation and left atrial enlargement, 154  
 exercising heart rates in horses with, 155  
 Holter monitor recording of horse converting from, to normal sinus rhythm, 155  
 lone, exercising ECG from horse with, 155  
 rapid, in horse with history of weakness during exercise, 154  
 rapid and chaotic depolarization in intra-atrial ECG consistent with, 157
- Atrial premature contraction  
 nonconducted, Holter monitor recording, 152  
 with normal ventricular conduction, 152
- Atrial rates, elevated, 152
- Atrial tachycardia  
 with second degree AV block at rest, 153  
 during trotting exercise, telemetric recording from horse with atrial tachycardia and second degree AV block, 153
- Atrioventricular (AV) block, 151–152  
 advanced second degree, base apex recording from horse with severe exercise intolerance, 151  
 second degree at rest, atrial tachycardia with, 153  
 third degree (complete), base apex recording from neonatal foal with septic myocarditis, 152  
 Type I second degree, 151
- Auditory diverticula, 438
- Aural plaques, 262–263  
 chronic lesions centrally, 262  
 early lesions peripherally, 262  
 horse presenting with head-shaking due to, 263  
 viral basis for, 330
- Aureobasidium*, phaeohyphomycosis and, 323
- Australian stringhalt, 240
- Avulsion fracture, of origin of long digital extensor tendon in 2-month-old foal, 644

## B

- Bacterial endocarditis  
 of aortic valve, 145  
 tricuspid valve insufficiency and, 146

- two-dimensional echocardiographic image, right parasternal long axis view, 141
- Bacterial folliculitis, 263–264  
of axillae, mature quarter horse with, 263  
differential diagnosis of, 263  
extension of lesion over pectoral region, 264
- Bacterial pneumonia in adult horses  
clinical signs of, 195  
mucopurulent nasal discharge and, 195
- “Barker” vocalization, hypoxic ischemic encephalopathy and, 584
- Barn fire, postmortem picture of mature horse caught in, 265
- Basilar bones, poll impact and damage to, 215
- Basilar fracture  
of medial proximal sesamoid bone, 387  
postmortem photograph of horse with, 215
- Basilar sesamoid fractures, prognosis for, 387
- Basophilic enterocolitis, 101
- “Bastard strangles,” 204
- “Beans,” smegma accumulation, in fossa glandis, 461
- Bedding, pressure sores and lack of, 272
- Belgian/Belgian-cross foals, junctional epidermolysis bullosa in, 339
- Belgium draft mare, unusual case of dystocia in, 483
- Belly bandages, penile injuries and use of, 455
- Beta hemolysis, 478
- Bilateral cryptorchidism, 447
- Bilateral soft tissue damage, to interdental spaces of young quarter horse, 32
- Biopsies, endometrial, 479–480
- Bit pressure, bilateral soft tissue damage to interdental spaces and, 32
- Bladder  
with cystitis, postmortem photograph of, 568  
with cystolithiasis, 575  
infected umbilical remnant with purulent caseous material in umbilical arteries and apex of, 653  
premature placental separation and prolapse of, 486  
ruptured, ultrasonographic examination of ventral part of caudal abdomen of two foals with, 651  
sabulous urolithiasis and, 577
- Bleeding gastric ulcer, hemorrhagic nasogastric reflux due to erosion of blood vessel in, 617
- “Blind” biopsy technique, endometrial biopsy and, 479
- Blindness  
leukoencephalomalacia (Moldy Corn Disease) and, 224  
West Nile Virus and, 225
- Blue to white irides, 550
- Bone cysts, subchondral, 416
- Bone remodeling, mild osteoarthritis of antebrachio-carpal joint and, 392
- Bones, diseases of, 353–443  
carpus and metacarpus, 392–407  
in foals, 630–645  
head, 427–443  
metacarpophalangeal and metatarsophalangeal joints, 378–391  
navicular bone, 356–362  
phalanges, 363–378  
spine, 422–427  
stifle and tibia, 416–421  
tarsus and metatarsus, 407–415
- Botulism  
cause, clinical signs, diagnosis and treatment of, 627  
recumbent foal with flaccid paralysis due to, 627
- Bouin’s fluid, endometrial biopsy and, 479
- Bovine papilloma virus, 304
- Brachial plexus injury, foal with, following dystocia and manual manipulation, 627
- Brain abscess, 212–214  
causes and clinical signs of, 212  
close-up view of, 214  
head-pressing in horse affected with, 212  
horse affected with, showing droopy lip due to cranial nerve VII deficit, 213  
mature horse affected with, showing depressed mentation, 212  
postmortem photograph of brain in horse with, 213
- Bran disease, 525
- Breeding accidents, causes of, 464
- “Breeding stitch,” poor vulvar conformation and, 474
- Brisket edema, in adult horse affected by nonsteroidal anti-inflammatory drugs toxicity, 97
- Broken hoof-pastern axis, osteoarthritis of left distal interphalangeal joint and, 365
- Bronchial edema  
endoscopy of crina revealing rounded airway bifurcation and hyperemia consistent with, 191  
treatment of, 191
- Bronchodilators, 191
- Bronchopneumonia, 603
- Brucellosis, 271
- Bruxism, gastric ulcers and, 56
- Buccal mucosal ulcer, sharp enamel point at level of tooth 107 and, 34
- “Bucked shin,” 403
- Bulbar squamous cell carcinoma, invasion of temporal cornea from limbal conjunctiva in 10-year-old paint mare, 552
- Bulls, testicular descent in, 447
- Burns, 264–269  
estimated percentage body surface areas in adult horse, 269  
estimated percentage body surface areas in foal, 269  
horse healing from, sustained over dorsum of his poll and back when tractor exploded next to his stall, 266–268  
postmortem picture of mature horse caught in barn fire, 265  
prognosis for and consequences of, 264
- “Burns technique,” retained placenta and, 504
- Bursitis (shoe boil and fistulous withers), 270–272
- ## C
- Calcaneus, sequestration of, 413
- Calcinosis circumscripta (tumoral calcinosis), 272–273, 420  
characteristics of, 272  
dorsolateral view of horse affected with, 273  
lateromedial view of horse affected with, 273
- Calculus accumulation, over and around 404, 20
- Campylorhinus lateralis, 176
- Candidiasis, on foal’s tongue, 613
- Canine tooth, supernumerary, 35
- Capture beats, VPCs and, 160
- Cardiac arrhythmias, 150–160  
atrial fibrillation, 154–158  
atrioventricular block, 151–152  
sinus rhythm, 150

- supraventricular arrhythmias, 152–153
- ventricular arrhythmias, 158–160
- Cardiac cachexia, mare with, 135
- Cardiac tamponade, with pericardial effusion, 129, 132
- Cardiomyopathy, 134–136
  - dilated, two-dimensional echocardiographic image from broodmare in late gestation with congestive heart failure and, 134
- Cardiovascular system, diseases of, 119–173
  - aortic root disease, 164–168
  - aortic valve insufficiency, 143–146
  - atrial fibrillation, 154–158
  - atrioventricular block, 151–152
  - cardiac arrhythmias, 150–160
  - cardiomyopathy, 134–136
  - congenital cardiac defects, 120–128
  - cor pulmonale, 138
  - endocardial and valvular diseases, 139–149
  - endocarditis, 148–149
  - mitral valve insufficiency, 139–142
  - myocardial diseases, 134–138
  - myocarditis, 137–138
  - neoplasia, 132–133
  - pericardial diseases, 129–133
  - pericarditis, 129–132
  - purpura hemorrhagica, 168–173
  - sinus rhythm, 150
  - supraventricular arrhythmias, 152–153
  - tetralogy of Fallot, 128
  - thrombosis and thrombophlebitis, 161–164
  - tricuspid valve insufficiency, 146–147
  - truncus arteriosus, 126–127
  - vascular diseases, 161–173
  - ventricular arrhythmias, 158–160
  - ventricular septal defect, 120–125
- Carpal bone ossification, grading system for, in foals, 633
- Carpal bones
  - grade 1 ossification of, in foals, 633
  - grade 2 ossification of, in foals, 634, 636
- Carpal valgus
  - angular limb deformity of, in 2-day-old quarter horse foal
  - angular limb deformity of, in 4-week-old quarter horse foal, 634, 636
  - angular limb deformity of, in 6-week-old quarter horse foal, 635
  - foal with, 635
- Carpometacarpal joint, severe osteoarthritis of, 394
- Carpus
  - isotope uptake in dorsal aspect of distal carpal row, 396
  - normal, in 30-day-old Standardbred foal, 632
  - prematurity and incomplete ossification of cuboidal bones in, 599
  - sclerosis of radial and intermediate facets of third carpal bone, 396
  - soft tissue swelling of, 392
- Carpus and metacarpus, 392–407
  - avulsion fracture of origin of suspensory ligament, 405
  - enchondroma and enthesiophyte formation at attachment of superior check ligament, 402
  - fractures of
    - distal radius, 398
    - fourth metacarpal bone with evidence of osteomyelitis, 407
    - radial carpal bone, 397
    - third carpal bone, 398–400
  - metacarpal periostitis, 403
  - normal third carpal bone and third carpal bone with mild sclerosis of radial facet, 395
  - nuclear scintigraphic imaging of carpus, 396
  - osteoarthritis of, 392–394
  - periostitis at origin of suspensory ligament, 406
  - radial cysts, 401
  - soft tissue swelling of the carpus, 392
  - splint exostosis of second metacarpal bone, 406
  - stress fracture of third metacarpus, 404
  - ulnar carpal bone cyst, 401
- Caslick's operation, 474, 475
- Castration
  - bilateral, testicular torsion with hydrocele and, 460
  - scrotal hernia after, 460
- Cataract
  - hypermature, in young quarter horse, 541
  - immature, in yearling Arabian filly, 540
  - mature
    - one month after phacoemulsification, 541
    - in young Arabian colt, 540
- Caudal hooks or ramps, 7
- Caudal maxillary sinuses, fluid within, 428, 430, 431
- Caudal vena cava
  - epiploic foramen entrapment of small intestines bounded dorsally by, 70
  - normal boundaries of epiploic foramen and, 71
- CEM. *See* Contagious equine metritis
- Cemental decay, peripheral, at palatal aspect of 210 and 211, 19
- Cervical spinal cord compression, 236
- Cervical spine, normal, 422, 427
- Cervical tears, 476
- Cervical vertebral malformation, 236
- Cervical vertebral malformation instability, 424, 425–426
- Cervical vertebral stenosis/instability, 236
- Chemical scalding
  - alopecia and scaling due to use of alcohol-based leg wrap in mature horse, 310
  - axillary serum exudation in mature horse due to failure to remove shampoo after bathing, 310
  - periaural serum exudation in mature horse due to failure to remove shampoo after bathing, 309
- Chemosis
  - corneal abscess and, 534
  - with granuloma and periocular calcification, 531
- Choke
  - primary, 40–44
    - clinical signs of, 41
  - secondary, 45–46, 206
- Cholesterol granuloma (cholesteatomas)
  - clinical signs of, 244
  - postmortem examination of brain of horse affected with, 244
- Chondroids
  - appearance typical of, 439
  - chronic empyema and formation of, 184
- Chondroma, 181
- Chorioallantois, 486
- Choroid detachment, ultrasonographic examination and, 549
- Chronic incisor periodontal disease, 19
  - with concurrent cemental hyperplasia, 20

- Chronic pneumonia, 604
- Chronic proliferative synovitis, of metacarpophalangeal joint, 381–382
- Chronic renal failure, 563–567  
 bilateral obstruction of upper urinary tract and, 575  
 dental tartar in horse affected with, 564  
 depression in horse affected with, 566  
 oral ulcers and tartar on incisors of horse affected with, 564  
 peripheral limb edema in horse affected with, 565  
 postmortem photograph of kidney with multiple cysts from horse affected with, 566  
 ultrasonographic image of kidney from horse affected with, 567  
 ventral edema in horse affected with, 565  
 weight loss in horse affected with, 563
- Chronic uveitis, vitreous floaters, collagen clumping, vascularization, and focal dispersion in Appaloosa with, 547
- Circumduction, equine protozoal myeloencephalitis and, 234
- Cisplatin injections, sarcoid treatment and, 553
- CL. *See* Corpus luteum
- Cladophialophora*, phaeohyphomycosis and, 323
- Cleft palate  
 clinical signs and diagnosis of, 613  
 in newborn foal, 613
- Clitoral sinuses, sampling, 465
- Clitoris, anatomy of, 465
- Clostridial enterocolitis, 620–621  
 clinical signs, diagnosis, and treatment of, 620  
 foal with, due to *Clostridium perfringens*, 620  
 necrotizing enterocolitis vs., 585  
 sonogram of ventral abdomen of foal with, 621
- Clostridium botulinum*, botulism caused by, 627
- Clostridium perfringens*, foal with clostridial enterocolitis due to, 620
- Clostridium tetani*, tetanus caused by, 240
- Club foot, in foal, 647
- Coital exanthema (“spots”), 475  
 cause of, 475
- Colic, 46–52  
 agitation, flank watching with, 46, 47–48  
 clinical signs of, 46  
 equine herpes virus 1 (EHV-1) myeloencephalitis and, 229  
 facial nerve trauma following severe episode of, 252  
 frequent lying down and, 46, 50  
 kicking at the abdomen and, 46, 49  
 pawing and, 46, 48  
 rolling and, 46, 51–52  
 stretching and, 46, 49  
 tetanus (lockjaw) and, 240
- Coliforms, pure culture of, 478
- Colitis, antibiotic induced, 102
- Collagenolysis, melting corneal ulcer and, 532
- Comet tail artifacts, coalescing, with ruptured chorda tendinea and congestive heart failure, 141
- Common digital extensor tendon, ruptured, in foal, 646
- Congenital cardiac defects, 120–128  
 tetralogy of Fallot, 128  
 truncus arteriosus, 126–127  
 ventricular septal defect, 120–125
- Congenital flexural contracture, 647
- Congenital glaucoma, buphthalmic globe in 7-day-old Arabian filly, 537
- Congenital goiter, from newborn foal, 522
- Congenital hypothyroidism and dysmaturity syndrome, foal with, 660
- Congestive heart failure  
 mare with, 135  
 sonographic image of pulmonary edema in horse with ruptured chorda tendinea and, 141
- Conjunctival corneal pedicle flap, healed, 535
- Conjunctival edema, severe, due to African horse sickness, 208
- Conjunctivitis  
 corneal abscess and, 534  
 with granuloma and periocular calcification, 531
- Constrictive pericarditis, 131
- Contagious equine metritis, 461  
 culturing clitoral sinuses for, 465
- Cord length, abortion and, 502
- Corneal abscess, 534–535  
 nonulcerative, 535  
 treatment of, 534, 535
- Corneal degeneration, keratopathy and, 532
- Corneal laceration, with iridal prolapse after kick to right facial area, 531
- Corneal ulcer  
 indolent with fluorescein stain migrating underneath epithelial flaps, 536  
 melting, 532  
 perforated, 534
- Coronary artery thromboemboli, numerous myocardial infarcts caused by, 167
- Coronitis, in foal with sepsis, 590
- Corpora nigra laceration, 550
- Cor pulmonale, two-dimensional echocardiographic image from horse with, secondary to recurrent airway obstruction, 138
- Corpus luteum, formation of, 462
- Cotwin embryos, fate of crushed, 498
- Cotwin pregnancies, managing, 499
- Cox test (hCG stimulation test), cryptorchidism diagnosis and, 448
- Cranial cruciate ligament injury, chronic, osteoarthritis of stifle joint and, 418
- Cranial deficits, equine herpes virus 1 (EHV-1) myeloencephalitis and deficits in, 229
- Cranial nerves  
 guttural pouch diseases and, 182  
 poll impact and damage to, 215  
 West Nile Virus and deficits in, 225, 227
- Cresty neck  
 insulin resistance and, 516, 517  
 pituitary pars intermedia dysfunction and, 509
- CRF. *See* Chronic renal failure
- “Cribber,” 37
- Crossing over, equine protozoal myeloencephalitis and, 234
- Crowded teeth, 24
- Crown, large amount of excessive, at mesial portion of 106 in 10-year-old quarter horse stallion, 7
- Cryptorchidism, 447–449  
 bilateral, 447  
 comparison of normal and cryptorchid testicles, 448

- diagnosis of, 448
- disruption of spermatogenesis and, 449
- image of intra-abdominal testicles in 7-year-old quarter horse stallion, 448
- C type (carpal), of infectious polyarthritis in foals, 641
- Cubital bursitis, shoe-boil roll in case of, 270
- Cuboidal bones
  - congenital hypothyroidism and dysmaturity syndrome and incomplete ossification of, 660
  - premature and incomplete ossification of, in hock and carpus, 599
- Culicoides* hypersensitivity, mature quarter horse gelding with, 288
- Culturing instruments, for mares, 478
- Cushing's syndrome, 274
  - adrenal tumor, 274
  - clinical signs of, 274
  - matted hair coat of horse with, 274
- Cutaneous drug reactions (drug eruption)
  - description of, 334
  - type IV hypersensitivity reaction in horse, 334
  - vaccinations and, 334, 335
- Cutaneous habronemiasis, 275–276
  - areas affected by, 276
  - causes and diagnosis of, 275
  - horse after undergoing treatment for, 275
  - mature quarter horse with extensive case of, 275
  - preputial, 276
- Cutaneous lymphosarcoma, 277–278
  - “figure 8” shaped lesion caudal to elbow in horse affected with, 278
  - horse with firm subcutaneous mass on proximomedial aspect of right front leg, 277
  - mare with multiple, firm nodules on proximomedial aspect of left hind leg, 278
  - mature gelding with large, firm mass in ventral perineal region, 277
  - types of, 277
- CVC. *See* Caudal vena cava
- CVMI. *See* Cervical vertebral malformation instability
- Cyathostomiasis, 93–95
  - in cecum of horse with strongylosis, causes of, 93
  - microscopic examination of encysted larvae in intestinal mucosa, 94–95
  - postmortem photograph of large colon of horse affected with typhlocolitis caused by, 93
- Cystitis
  - clinical signs, diagnosis and treatment of, 568
  - postmortem photograph of bladder affected with, 568
- Cystolithiasis, 571
  - clinical signs, diagnosis, and treatment of, 575
  - endoscopic image of bladder with, 575
- Cysts
  - endometrial, 471–472
  - iridal, 549
  - radial, 401
  - sinus, 429–430
  - uveal, 551
- D**
  - Dactylaria*, phaeohyphomycosis and, 323
  - DCM. *See* Dilated cardiomyopathy
  - DDSP. *See* Dorsal displacement of the soft palate
  - Decubital ulcers, in foals, 656
  - Defibrillation, general anesthesia used for, 156
  - Degenerative joint disease, 379, 410–412
  - Dehydrated foal, entropion in, 628
  - Dental structures
    - normal, 432–435
      - lateral view, 432
      - maxillary in immature horse, 434
      - maxillary in mature horse, 434
      - radiographic projections of skull, 433
      - ventrodorsal view, 433
  - Dental tartar, chronic renal failure and, 564
  - Dental tumor, of mandible, 442–443
  - Dentigerous cyst, 320–321
  - Depression
    - acute renal failure and, 560
    - chronic renal failure and, 566
    - pyelonephritis and, 567
  - Dermatophilosis (rain scald), 279–281
    - diagnosis of, 658
    - epilating hair results in number of hair shafts stuck within crust of dried serum, 280
    - in foal, 658
    - lesions on muzzle, 281
    - seasonal forms of, 279
    - severely affected animals with depression, anorexia, and pyrexia condition, 280
  - Dermatophilus congolensis* infection
    - dermatophilosis and, 279
    - foal infected with, 658
    - photosensitization and, 301
  - Dermatophytosis (ringworm), 281–284
    - clinical signs of, 281
    - extensive hair loss in Thoroughbred horse affected with, 281–282
      - overlying scab that can be easily removed, 283
      - self-limiting treatment for, 284
  - Dermoid cyst, 284–285
    - elevation of skin resulting in obvious bump in top line of horse, 284
    - in horse, clipped prior to expressing contents, 285
    - manual expression of contents, 285
  - Diagonal incisor malocclusion (DGL3), 11
    - deviation of maxilla and, 26
  - Diaphragmatic hernia, 72, 611
    - clinical signs of, 611
    - defect in diaphragm resulting in, 611
    - lateral thoracic radiograph demonstrating gas-filled loops of viscera in abdomen, 611
  - Diarrhea
    - hemorrhagic, due to necrotizing enterocolitis, 585
    - rotavirus, 621
  - Diastema, periodontal pocket and, 16
  - Diet, cystolithiasis treatment and change in, 575
  - Diffuse bronchointerstitial lung pattern, 604
  - Digital hyperextension deformity, 648
  - Dilated cardiomyopathy, 134
    - color flow Doppler evaluation of tricuspid valve in horse with, 135
    - M-mode echocardiographic image from horse with, 134

- Disseminated intravascular coagulation, hemorrhagic gingival margins in foal with, 589
- Distal check desmotomy  
after foal treated for, 648  
club foot in foal and, 647
- Distal femur, malformation of, and luxation of patella, 643
- Distal interphalangeal joint, osteoarthritis of, 364–365
- Distal intertarsal joint  
mild osteoarthritis of, 410  
moderate osteoarthritis of, 410  
severe osteoarthritis of, 411
- Distal metacarpus, Salter-Harris type 2 fracture of, in foal, 642
- Distal radial physis, closure of, 632
- Distal radius, fracture of, 398
- DJD. *See* Degenerative joint disease
- Dorsal conchal sinuses, 427
- Dorsal displacement of the soft palate  
intermittent or persistent, clinical signs and diagnosis of, 186  
as visualized by endoscopy at rest in horse with dysphagia, 186
- Dorsal incisor curvature, in juvenile, 11
- DPJ. *See* Duodenitis-proximal jejunitis
- Draschia megastoma*, 275
- Drechslera*, phaeohyphomycosis and, 323
- Dumb rabies, 239
- Duodenal stricture  
diagnosis of, 618  
postmortem specimen from foal with delayed gastric emptying due to, 618
- Duodenitis-proximal jejunitis, 75–76  
anterior or proximal enteritis, postmortem photograph of, 75  
ultrasonographic image of right caudal abdomen showing distension and thickening of duodenum in case of, 76
- Dysmaturity, 487
- Dysphagia  
choke and, 206  
hypoxic ichemic encephalopathy and, 583  
mega-esophagus and, 615
- Dysplastic teeth, in aged miniature horse with abnormal mastication, 36
- Dystocia  
foal with brachial plexus injury following, 627  
general approaches and forms of, 481–483  
general comments about, 481  
hydrocephalus as cause of, 481  
mesenteric tear as cause of, 483  
ruptured gastrocnemius muscle and, 646  
salivary cyst as cause of, 482  
severe skeletal malformation as cause of, 482  
ventral abdominal wall tear and, 649
- E**
- Ear, ulcerative dermatitis and epithelial loss in, 657
- Ear tooth, 320–321
- Ecchymoses in oral mucosa, in horse affected with purpura hemorrhagica, 170
- Ecchymoses in vulvar mucosa, in mare affected with purpura hemorrhagica, 171
- Ecchymotic hemorrhage, on muzzle of horse affected with purpura hemorrhagica, 171
- eCG. *See* Equine chorionic gonadotropin
- Edema  
chronic renal failure and, 565  
of head, in horse with purpura hemorrhagica, 169
- Egyptian Arab foals, lavender foal syndrome and, 659
- Ehler Danlos syndrome, 286–287
- EHV III. *See* Equine herpes virus III
- EIPH. *See* Exercise-induced pulmonary hemorrhage
- Electrical cardioversion, intra-atrial ECG obtained from horse undergoing, 157
- Electrical cardioversion catheters, horse fitted with, 156
- Embolic nephritis, in septicemic neonatal foal, 588
- Embolic pneumonia, in septicemic neonatal foal, 587
- Embryonic death  
at about 55 days of gestation, 496  
due to twinning, 497–499  
early and later, 496  
general characteristics of, 496
- Embryos  
heartbeat of, early pregnancy monitoring, 463  
tracking during early pregnancy diagnosis, 497
- Enamel decay, focal areas of, 18
- Encephalomyelitis, West Nile Virus and, 225
- Enchondroma, at attachment of superior check ligament, 402
- Endocardial and valvular diseases, 139–149  
aortic valve insufficiency, 143–146  
endocarditis, 148–149  
mitral valve insufficiency, 139–142  
tricuspid valve insufficiency, 146–147
- Endocarditis, 148–149  
atrial  
ECG from horse with, involving AV node region, 149  
echocardiographic image from horse with history of weakness and near collapse during exercise with, 148  
postmortem examination of horse with, showing raised irregular tan areas along right atrial septum, 149  
short axis echocardiographic image from horse with, 148
- Endocrine system, diseases of, 507–527  
adrenal gland diseases, 527  
glucose metabolism diseases, 516–517  
goiter in newborn foals, 522  
hyperparathyroidism, 523–526  
pituitary disease, 508–515  
thyroid diseases, 518–522  
vitamin D toxicity, 523
- Endometrial biopsy, 479–480  
annotated anatomy of, 480  
general comments about, 479  
hemorrhage after, 479  
jaws of biopsy instrument, 479
- Endometrial cups, 477
- Endometrial cysts, 471–472
- Endometrium, normal epithelial cells from, 478
- Endophthalmitis, in horse affected by otitis media-interna (temporohyoid osteoarthropathy), 247
- Enilconazole, dermatophytosis (ringworm) treatment with, 284
- Enterocolitis, septicemic foal with, 592
- Enterocutaneous fistula, in horse as sequela to parietal (Richter's) hernia, 108
- Enteroliths  
intraluminal obstruction of small colon with, 100  
photograph of, diagnosis of, 100

- Enthesiophyte formation, at attachment of superior check ligament, 402
- Enthesopathy, radiographs of navicular bone cyst with, 359
- Enthesophytes, 359
- Entropion, 628–629
  - in dehydrated foal, 628
  - foal after surgical treatment for, 629
  - foal with, 628
  - treatment of, 628
- Epididymis, comparison of normal and cryptorchid testicles and tail of, 448
- Epidural anesthesia, in mare, 481
- Epiglottic entrapment
  - by aryepiglottic membrane in racehorse, 187
  - treatment of, 187
- Epiploic foramen, postmortem photograph of normal abdomen in horse showing normal boundaries of, 71
- Epiploic foramen entrapment of small intestines, 69–71
  - postmortem photograph of, 70
- Epistaxis
  - in horse with exercise-induced pulmonary hemorrhage, 192
  - progressive ethmoid hematoma and, 178
- Epithelial excoriation, dermatophytosis (ringworm) and, 283
- Epitheliotropic lymphosarcoma, clinical signs of, 277
- Epizootic lymphangitis (histoplasmosis), 338–339
  - cutaneous, ulcerative nodules along ventral abdomen and preputial sheath of horse with, 338
  - description, diagnosis and treatment of, 338
- Equine calculi, composition of, 576
- Equine chorionic gonadotropin, 477
- Equine Cushing's disease, 508
- Equine dysautonomia, 109–115
- Equine herpes virus 1 (EHV-1) myeloencephalitis, 229–233
  - adult horse with, with more involvement in hind limbs than in front limbs, 231
  - atlanto-occipital centesis of cerebrospinal fluid in horse affected with, 232
  - causes, clinical signs and treatment of, 229
  - cerebrospinal fluid from horse affected with, showing xanthochromia, 233
  - flaccid anus and tail in horse affected with, 231
  - mare with, showing wide-based forelimb stance and knuckling of hind limb, 229
  - patchy sweating in horse affected with, 232
  - photomicrograph of cerebrospinal fluid from horse affected with, showing mononuclear pleocytosis, 233
  - tetraplegia in horse affected with, 230
  - urinary incontinence and urine scalding in horse affected with, 230
- Equine herpes virus III, coital exanthema (“spots”) caused by, 475
- Equine motor neuron disease, 237–239
  - adult horse affected by, 237
  - biopsy of spinal accessory nerve or sacrocaudalis dorsalis muscle and diagnosis of, 238
  - clinical signs of, 237
  - diagnosis of, 238
  - fundus of normal horse, 239
  - lipofuscinlike pigment in tapetal fundus of retina and, 238
- Equine mummies, 500
- Equine placentation, practical anatomy and nature of, 504
- Equine protozoal myeloencephalitis, 234–235
  - adult horse affected with, shown with droopy lips due to damaged facial nerve, 235
  - adult horse affected with, which previously had tetraparesis, 234
  - adult horse suspected to be affected with, showing atrophy of gluteal muscles, 234
  - adult horse with tongue paralysis due to, 235
  - clinical signs of, 234
- Equine recurrent uveitis, with corneal stromal vascularization, 546
- Equine stud medicine, common diagnostic techniques used in, 478
- Equine wobbler syndrome, 236–237
  - adult horse affected with, showing wide-base stance, 236
  - adult horse affected with, with failure to replace limbs to normal position when limb is placed in abnormal position, 237
  - clinical signs and diagnosis of, 236
  - toe scuffing in adult horse affected with, 236
- Erection, persistent, 456
- Esophageal diverticulae, secondary choke and, 45
- Esophageal lavage, 43
- Esophageal obstruction
  - aspiration pneumonia secondary to, in a foal, 44
  - choke, primary, 40–44
  - endoscopic image of, 42
  - endoscopic image of esophagus after resolution of, 42
  - esophageal laceration and peri-esophageal cellulitis in foal secondary to, 41
  - esophageal lavage and, 43
  - long-standing, postmortem image of circumferential esophageal ulceration in horse secondary to, 43
  - postmortem photograph of megaesophagus in foal secondary to, 44
  - radiological examination of cervical and thoracic esophagus, equipment for, 42
- Esophageal stricture
  - postmortem specimen of foal with, 616
  - static contrast lateral radiograph of foal's thorax with, 616
- Esophagus, diseases of, 40–46
  - esophageal obstruction (choke), primary, 40–44
  - esophageal obstruction (choke), secondary, 45–46
- Estrone sulphate test, cryptorchidism diagnosis and, 448
- Estrous cycle, following, 462
- Ethmoid hematoma, 431–432
  - treatment of, 178
- E type (epiphyseal), of infectious polyarthritis, in 4-week-old quarter horse foal, 641
- Exercise-induced pulmonary hemorrhage, 192–195
  - chronic, lateral radiograph of racehorse with, 195
  - clinical signs and diagnosis of, 192
  - epistaxis postexercise in horse with, 192
  - grade 1, racehorse with, as detected by tracheobronchoscopy, 193
  - grade 2, racehorse with, as detected by tracheobronchoscopy, 193
  - grade 3, racehorse with, as detected by tracheobronchoscopy, 193
  - grade 4, racehorse with, as detected by tracheobronchoscopy, 194



- photomicrograph of bronchoalveolar lavage fluid showing  
  hemosiderophages in racehorse with, 194  
  Thoroughbred racehorse with epistaxis and, 192
- Exophiala*, phaeohyphomycosis and, 323
- Exserohilum*, phaeohyphomycosis and, 323
- External umbilical remnant, infected, 655
- External umbilical swellings, diagnostic differentiations for, 654
- Extrathoracic airways, diseases of, 176–189
- arytenoid chondropathy, 188
  - dorsal displacement of the soft palate, 186
  - epiglottic entrapment, 187
  - guttural pouch diseases, 181–184
  - guttural pouch empyema, 182–184
  - guttural pouch mycosis, 185
  - guttural pouch tympany, 184–185
  - laryngeal diseases, 187–188
  - laryngeal hemiplegia, 188
  - nasal passages, 176
  - pharyngeal diseases, 186
  - pharyngitis, 186
  - progressive ethmoid hematoma, 178
  - sinonasal neoplasia and polyps, 181
  - sinus cyst, 180–181
  - sinusitis, 179–180
  - subepiglottic cyst, 187
  - tracheal collapse, 189
  - wry nose, 176–178
- Eye diseases, 529–556
- corneal disorders, 531–536
  - glaucoma, 537–539
  - lenticular disorders, 540–543
  - ocular tumors, 552–556
  - uveal disorders, 543–551
- Eyelid tone, botulism and loss of, 627
- ## F
- Face lesions, with pemphigus foliaceus, 299
- Facial nerve trauma
- horse affected with, during episode of severe colic, 252
  - horse with, after lateral recumbency, 252
- False nostril cysts, 260
- Fat pads, displacement and/or compression of and distension  
  of middle carpal joint, 392
- Fecaliths, intraluminal obstruction of small colon with, 100
- Feed impaction, fractured tooth and, 27
- Female fetus, transrectal scan of, 485
- Female reproductive system diseases. *See* Reproductive  
  system diseases, female
- Fetal death
- followed by anestrus, 477
  - followed by mummification, 500
- Fetal sexing, 484–485
- early and late gestation, 484
  - fetal gender diagnosed during advanced gestation, 485
  - general comments about, 484
- Fetlock hyperextension, severe, 648
- Fetlock joint capsule, septic arthritis in and massive distension  
  of, 384
- Fetlock varus
- angular limb deformity of, in 5-week-old Thoroughbred foal,  
  638
  - foal with, clinical photograph of, 638
- Fetus, aging of, 464
- Fibroblastic lesions, sarcoids and, 304
- Fibrofatty metaplasia, cut section of, from adult horse, 137
- Fibroma, 181
- Fibrous osteodystrophy, 524
- First phalanx
- complete fracture of, 374–375
  - dorsoproximal, fracture of, 389
  - osseous fragment arising from plantar margin of, 391
  - osseous fragmentation of lateral plantar process of, 390
  - proximal, fracture of, 388
  - subchondral cystic lesion of, 372
- Fistulous withers, 270–272
- old horse with, showing purulent debris and rim of  
  granulation tissue, 271
- Flank watching, colic and, 46, 47–48
- Flecainide, atrial fibrillation treatment and, 154
- Flexural deformities
- club foot in foals, 647
  - in foals, 647–648
- Flexural laxity, in foals, 648
- Fly control, habronemiasis control and, 450
- Fly infestations, sarcoids and, 304
- Foaling
- cervical tears and, 476
  - impending, estimating time of, 486
- Foaling injuries, 491–495
- intra-abdominal hemorrhage, 493
  - normal contusion of the vagina, 491
  - rectal, vaginal, and perineal tears and lacerations,  
  493–495
  - rectal prolapse, 492
  - severe vaginal contusions and pelvic subluxation, 492
  - uterine hemorrhage, 493
  - vulvar injuries, 475
- Foals. *See also* Neonates, diseases of
- newborn, goiter in, 522
- Fonsecaea*, phaeohyphomycosis and, 323
- Food hypersensitivity
- clinical signs of, 335
  - mature horse with perineal pruritus caused by feed  
  hypersensitivity, 335
- Forehead trauma, injuries related to, 220
- Foreign bodies
- intraluminal obstruction of small colon with, 100
  - postmortem photographs of horse with small colon rupture  
  as result of, 100
- Foreign body, oral, 38
- Fossa glandis (urethral diverticulum), smegma accumulation  
  “beans” in, 461
- “Founder rings,” formation of, 376
- Fourth metatarsal bone
- comminuted fracture and osteomyelitis of, 414
  - comminuted fracture of, 414
- Fractured tooth, 27–31
- appearance of tooth 308 following removal of buccal  
  fragment, 30
  - 8-year-old warmblood gelding with sagittal fracture of tooth  
  308, 29
  - extraction of, 29
  - multiple sequestrae fragments removed from tooth 408  
  alveolus, 31

- object visible within alveolus 8 weeks postextraction of fractured tooth 408, 30
- sagittal, of tooth 206 in middle-aged quarter horse mare, 28
- Fractures
- articular, of wing of third phalanx, 367–368
  - avulsion, of origin of long digital extensor tendon in foal, 644
  - avulsion, of suspensory ligament, 405
  - basilar, of medial proximal sesamoid bone, 387
  - complete, of first phalanx in 3-year-old Standardbred, 374–375
  - of distal radius, 398
    - possible cause of, 398
  - of dorsoproximal first phalanx, 389
  - of extensor process of third phalanx, 365–366
  - of fourth metacarpal bone with evidence of osteomyelitis, 407
  - of fourth metatarsal bone, 414
  - incomplete sagittal, of proximal first phalanx, 388
  - midbody, of medial proximal sesamoid bone, 366
  - of navicular bone, 361
  - nonarticular, of wing of third phalanx, 366–367
  - of palmar process of third phalanx, 369
  - of patella, 419
  - of proximal sesamoid bone, 385–387
  - of radial carpal bone, 396
  - of ribs, in foals, 645
  - sagittal, of third phalanx, 366
  - Salter-Harris type 2, of distal metacarpus, in foal, 642
  - Salter-Harris type 2, of proximal tibia, in foal, 642
  - of sphenoid bone and guttural pouch hemorrhage, 441–442
  - stress, of third metacarpus, 404
  - of talus, 412–413
  - of third carpal bone, 398–400
  - of third metacarpus, 389
  - tibial stress, 421
- Frontal/parietal impact, head trauma and, 214
- Frontal sinuses, 427
  - fluid within, 428
- Froth at the mouth, gastric ulcers and, 56, 57
- Fumonisin B1 toxin, Moldy Corn Disease and, 224
- Functional ileus, lateral abdominal radiograph of 9-day-old Standardbred foal with, 626
- Functional obstruction of small intestine, 75–77
  - duodenitis-proximal jejunitis (anterior or proximal enteritis), 75–76
    - proliferative enteropathy (*Lawsonia intracellularis*), 76–77
- Fundus, normal, from color dilute pony, 554
- Fungal endophthalmitis, 543
- Fusarium moniliforme*
  - liquefactive necrosis and degeneration of white matter of right cerebral hemisphere due to, 224
  - moldy corn infected with, 225
- Fusions beats, VPCs and, 160
- G**
- Gastric dilatation
  - in horse, with small intestinal obstruction, 53
    - postmortem photograph of stomach rupture in horse secondary to, 54
- Gastric emptying, delayed, sonogram of right dorsal abdomen through 15th intercostal space of duodenum in foal presenting with colic related to, 618
- Gastric impaction
  - postmortem photograph of gastric rupture in horse secondary to, 55
    - postmortem photographs of, 54
- Gastric ulcers, 56–59
  - in foals
    - dorsal recumbency and, 58
    - frothing at the mouth and, 57
    - showing signs of colic, 58
  - of glandular part of stomach, postmortem photograph of, 56
  - on margo plicatus in foal, postmortem photograph of, 57
  - of nonglandular part of stomach
    - endoscopic image of, 59
    - postmortem photograph of, 56
- Gastrocnemius muscle, ruptured, in foal, 646
- Gastroduodenal ulcer syndrome, 617–618
  - diagnosis of, 617
    - rotavirus diarrhea and, 621
  - stomach from 7-day-old foal with focal ulceration in squamous and glandular mucosa along margo plicatus, 617
- Gastrointestinal colic, causes of, 46
- Gastrosplenic ligament
  - postmortem photograph of incarceration of small intestine through, 73
    - postmortem photograph of rent in, through which small intestines have gotten strangulated, 74
- GCTs. *See* Granulosa cell tumors
- GDUS. *See* Gastroduodenal ulcer syndrome
- Geldings, nephrosplenic entrapment of large colon in, 83
- Genital squamous cell carcinoma, preputial habronemiasis distinguished from, 276
- Geriatric wear, 21
- Gestation
  - advanced, fetal gender diagnosed during, 485
    - late, ventral abdominal rupture in, 488
    - late, ventral edema in, 488
- Gingival ulceration, of systemic origin, 34
- Glaucoma, 537–539
  - clinical diagnosis for, 538
  - congenital, 537
    - ocular trauma vs., 538
  - primary (idiopathic), 537
  - secondary, 539
- Glomerulonephritis, postmortem photograph of kidney from horse affected with, 563
- Glossitis
  - in adult horse suspected to be secondary to accidental ingestion of irritant chemical agent, 39
    - severe traumatic, in adult horse, 38
    - site of trauma (penetrating) leading to, 39
- Goiter, 518
  - neonatal, 659
    - in newborn foals, 522
- GPM. *See* Guttural pouch mycosis
- Grain (carbohydrate) overload, 98–99
  - adult horse with laminitis due to, 99
  - adult horse with severe diarrhea due to, 98
    - clinical signs of, 98
- Grand mal seizure, with extensor rigidity and opisthotonos in foal with hypoxic ischemic encephalopathy, 584
- Grand Prix-level jumpers, atrial fibrillation and, 155

- Granuloma  
neoplasm vs., 554  
periocular calcification and, 531
- Granulomatous enteritis, 101
- Granulosa cell tumors, 466–467  
monocystic, 467  
solid, 466
- Grass sickness (equine dysautonomia), 109–115  
abdominal pain (colic) in horse affected with, 111  
adult horse affected with, 109  
clinical forms, clinical signs and diagnosis of, 109  
drooling of saliva and dysphagia in horse affected with, 110  
large colon impaction found during postmortem examination of horse affected with, 111  
narrow base stance and leaning against walls in horse affected with, 114  
patchy sweating in horse affected with, 112  
penile prolapse and paralysis in horse affected with, 115  
piloerection in horse affected with, 112  
ptosis in horse affected with, 114  
rhinitis sicca in horse affected with, showing mucopurulent material in nasal passages, 113  
“tucked up” appearance and weight loss in horse affected by, 110
- Greasy heel, 311–313
- Gubernaculum, testicular descent and, 447
- “Guided” biopsy technique, endometrial biopsy and, 479
- Guttural pouch diseases, 182–185  
neurological deficits or hemorrhage related to, 182
- Guttural pouch empyema, 182–184, 438–439  
causes of, 182  
endoscopic view of, secondary to streptococcal infection, 182
- Guttural pouches, 182  
anatomy and, 438  
chondroid located in lateral compartment of, 184  
chondroids and fluid (empyema), 439–440  
endoscopic examination revealing purulent exudate draining from swollen retropharyngeal node inside medial compartment of, 182  
poll impact and bleeding into, 215  
swelling of, symptoms associated with, 184
- Guttural pouch hemorrhage, fracture of sphenoid bone of, 441–442
- Guttural pouch mycosis  
clinical signs and diagnosis of, 185  
fungal plaque on wall of right guttural pouch in case of, 185
- Guttural pouch openings, purulent discharge draining from, 183
- Guttural pouch tympany, 184–185  
guttural pouch mycosis, 185  
lateral radiograph of foal with, 185  
marked distension of throat latch region in foal with, 184
- H**
- Habronema muscae*, 275
- Habronema* spp., 450
- Habronemiasis  
causes and diagnosis of, 450  
hemosemen due to, 450  
on penis of quarter horse stallion, 450
- Haematopinus asini*, 291
- Halicephalobus* spp.  
greatly enlarged left sinus of 10-year-old mare infected with, 569  
ultrasonographic image of right kidney of pony mare affected with verminous nephritis caused by, 569
- Hard fixative, endometrial biopsy and, 479
- HCM. See Hypertrophic cardiomyopathy
- Head, 427–443  
anatomy and guttural pouches, 438  
anatomy of skull, 427–428  
dental tumor of mandible, 442–443  
ethmoid hematoma, 431–432  
fracture of sphenoid bone and guttural pouch hemorrhage, 441–442  
guttural pouches empyema, 438–440  
mandibular osteomyelitis, 443  
normal dental structures, 432–435  
normal larynx and aryepiglottic fold entrapment, 440–441  
sinus cyst, 429–431  
sinusitis, 428–429  
tooth root abscess, 436–437
- Head-pressing  
brain abscessation and, 212  
hepatoencephalopathy and, 223  
leukoencephalomalacia (Moldy Corn Disease) and, 224  
verminous meningoencephalomyelitis and, 228
- Head tilt, in horse affected by otitis media-interna (temporohyoid osteoarthropathy), 246
- Head trauma, 214–222  
adult horses affected with  
due to poll impact, 215, 216  
due to poll impact, showing bloody discharge from ear, 217  
due to poll impact, with wide-base stance, 219  
showing abnormal wide-base stance, 214  
adult horse with recumbency caused by, due to poll impact, 217  
cerebrospinal fluid sample from horse affected with, showing presence of frank blood due to acute hemorrhage, 221  
cerebrospinal fluid sample from horse affected with, showing xanthochromia characteristic of longer cases of head trauma, 223  
close-up view of fracture, 216  
cytological examination of cerebrospinal fluid sample from horse affected with, 223  
donkey foal affected with, blindness and paralysis due to, 220  
in foal, blindness and optic nerve dysfunction due to, 218  
permanent dilatation of pupils in foal with, 220  
postmortem photograph in foal with, showing severe intracranial hemorrhage, 221  
postmortem photograph of eyeball and optic nerve from foal with, 218  
postmortem photograph of skull from horse affected by, and fracture of occipital condyles, 219
- Heaves  
accumulation of mucopurulent respiratory secretions in trachea of horse with, 190  
horse flaring its nostrils during attack of, 190
- Helminth infection, cutaneous habronemiasis and, 275
- Hematomas, estrous cycle and, 462

- Hematuria, 570  
 at end of urination in horse affected with urethral defect, 570  
 in horse affected with acute renal failure, 561  
 renal or ureteral calculi and, 575
- Hemolysis, severe acute, pigmenturia from foal with, 601
- Hemosemen, 449–450  
 habronemiasis and, 450  
 habronemiasis on penis of quarter horse stallion, 450  
 trauma and, 449  
 unknown etiology of, 450
- Hemosiderin deposition, progressive ethmoid hematoma and, 178
- Hepatoencephalopathy, 223–224  
 adult horses affected with  
 as result of diffuse hepatitis, 223  
 as result of diffuse hepatitis, showing signs of photodermatitis, 223  
 showing icteric sclera, 224  
 clinical signs of, 223
- Hernias  
 diaphragmatic, 72, 611  
 omental, 109  
 parietal (Richter's), 108  
 scrotal, 457–460  
 in foal, 625  
 umbilical, 108
- Heterotrophic polydontia, 320–321
- HIE. *See* Hypoxic ischemic encephalopathy
- High ringbone, osteoarthritis of, 363
- Hirsutism  
 Cushing's syndrome and, 274  
 pituitary pars intermedia dysfunction and, 508, 509, 510, 512, 513
- HIS. *See* Hypoxic ischemic syndrome
- Histoplasma capsulatum* var. *farciminosum*, in ulcerated nodule showing yeast organisms surrounded by clear halos, 339
- Histoplasmosis, 338–339
- Hock  
 excessive flexion of, due to rupture of gastrocnemius muscle, 646  
 prematurity and incomplete ossification of cuboidal bones in, 599
- Hock joint, stringhalt and hyperflexion of, 240
- Holosystolic crescendo decrescendo murmur, 120
- Holter monitor recordings  
 of horse receiving reserpine, 151  
 uses for, 150
- Hooks or ramps, 9
- Horner's syndrome  
 adult horses affected with  
 droopy left eyelid (ptosis) and, 245  
 sweating at base of ear and, 245  
 clinical signs of, 245
- Horses, testicular descent in, 447
- Hydrocele, right-sided, testicular torsion and, 460–461
- Hydrocephalus, as cause of dystocia, 481
- Hydrops allantois, 490
- Hymen  
 intact, bulging through vulvar lips of mare, 464  
 persistent, breeding accidents and, 464
- Hyperadrenocorticism (Cushing's syndrome), 274
- Hyperechoic linear strands, within fluid indicative of fibrin and septic process, 595
- Hyperelastosis cutis (Ehler Danlos syndrome)  
 hyperelasticity of skin in horse with, 287  
 prolonged skin tent time in horse with, 287  
 in 3-year-old cutting horse, showing region of reduced pigmentation, 286–287
- Hyperhydrosis, 274
- Hyperkalemic periodic paralysis, 344–345  
 clinical signs of and breeds affected by, 344  
 prolapsed third eyelid in horse affected with, 344  
 quarter horse affected with, showing sweating and muscle cramping, 344  
 respiratory distress and flaring of nostrils in horse affected with, 345
- Hyperlipemia and hyperlipidemia, 115–117  
 clinical signs of, 115  
 fatty and swollen liver obtained during postmortem examination from pony affected with, 117  
 icteric mucous membranes of pony affected with, 116  
 milky plasma in pony affected with, 116  
 in pony, 115
- Hypermature cataract, 541
- Hyperparathyroidism, 523–526  
 primary, 523–525  
 secondary, 525–526
- Hypertrophic cardiomyopathy  
 M-mode echocardiographic image of left ventricle from horse with, 136  
 two-dimensional echocardiographic image showing markedly thickened left ventricular free wall and interventricular septum, 136
- Hypodema* spp., verminous meningoencephalomyelitis and, 228
- Hyponatremia  
 foal with, in opisthotonos with seizure activity characterized by rapid chewing and tongue protruding movements, 626  
 nervous signs and differential diagnosis of, 626
- Hypotensive horses, recognizing signs of, 156
- Hypothyroidism, neonatal, 659
- Hypoxic ischemic encephalopathy, 581  
 grand mal seizure with extensor rigidity and opisthotonos in foal with, 584  
 lack of tone of nasopharyngeal region in foals with, 583  
 lavender foal syndrome differentiated from, 659  
 loss of suckle reflex and tongue control with, 582  
 nasogastric reflux due to small intestinal ileus in foal with, 584  
 tonic muzzle contractions as focal seizure activity with, 583
- Hypoxic ischemic syndrome, 581–586  
 description, clinical signs and diagnosis of, 581  
 foal recovering from, 581  
 loss of affinity for mare in foal with, 581
- I**
- IAD. *See* Inflammatory airway disease
- Icteric sclera, hepatoencephalopathy and, 224
- Idiopathic eosinophilic enterocolitis, 101

- Idiopathic immune mediated keratouveitis, 546
- Idiopathic inflammatory bowel disease  
loose feces associated with, 101  
severe weight loss associated with, 101
- Ileal hypertrophy, 60
- Ileal impaction, 59
- Ileocecal intussusception, 74
- Immature cataract, 540
- Immune-mediated vasculitis, 326
- Incisors  
curvature of, 11–12  
dorsal, in juvenile, 11  
ventral, in aged horse, 12  
irregular malocclusion of, 12  
permanent, large area of enamel decay and involvement of, 18  
supernumerary, 13  
third, overlong distal portion of, 10
- Indolent corneal ulcer, treatment of, 536
- Infections, burn-related, 264
- Infectious polyarthritis (septic arthritis)  
C type (carpal), in foals, 641  
diagnosis and treatment of, 639  
E type (epiphyseal), in 4-week-old quarter horse foal, 641  
in foals, 639  
P type (physeal), in older foals, 640  
P type (physeal), in 4-week-old Standardbred foal, 640  
S type (synovial), in 4-week-old Standardbred foal, 639  
T type (tarsal), in 4-week-old quarter horse foal, 641
- Infectious pulmonary diseases, 195–203  
aspiration pneumonia, 196  
bacterial pneumonia in adult horse, 195  
interstitial pneumonia in adult horses, 201–203  
pleuropneumonia, 196–201
- Inferior brachygnathism (parrot mouth), in foal, 614
- Infertility, 469–480  
aneuploidy and intersex, 473  
coital exanthema, 475–476  
endometrial biopsy, 479–480  
fetal death followed by anestrus, 477  
lymphatic lacunae or cyst, 471–472  
periovarian adhesions, 476  
poor vulvar conformation, 474  
pyometra, 470  
routine culture and cytology to investigate infertility, 478  
transitional state, 469  
transluminal adhesions, 471  
vulvar injuries, 475
- Inflammatory airway disease, mucopurulent exudates visible by endoscopic examination of trachea of racehorse with, 191
- Inhibin, 466  
granulosa cell tumor, 466, 467
- Insect bite hypersensitivity, 288–289  
clinical signs and differential diagnoses of, 288  
mature quarter horse gelding with, 288  
tail head of mature horse with, 288
- Insulin resistance, 516–517  
close-up of neck of horse suffering from, 517  
in horse with normal to low condition score, 516  
typical phenotype of horse with, 516
- Integumentary system, diseases of, 255–341  
acquired leukotrichia, 257–259  
actinobacillosis, 259–260  
anhidrosis, 336–337  
Arabian fading syndrome, 328  
atheroma, 260–261  
aural plaques, 262–263  
bacterial folliculitis, 263–264  
burns, 264–269  
bursitis and pressure sores, 270–272  
calcinosis circumscripta (tumoral calcinosis), 272–273  
Cushing's syndrome, 274  
cutaneous drug reactions, 334–335  
cutaneous habronemiasis, 275–276  
cutaneous lymphosarcoma, 277–278  
dermatophilosis (rain scald), 279–281  
dermatophytosis (ringworm), 281–284  
dermoid cyst, 284–285  
epizootic lymphangitis (histoplasmosis), 338–339  
food hypersensitivity, 335  
hyperelastosis cutis (Ehler Danlos syndrome), 286–287  
insect bite hypersensitivity, 288–289  
junctional epidermolysis bullosa, 339–341  
lethal white syndrome, 289–290  
lice (pediculosis), 291–292  
melanoma, 293–294  
nodular necrobiosis (eosinophilic collagen necrosis), 294–295  
onchocerciasis, 295–296  
pemphigus, 297–301  
phaeohyphomycosis, 323  
photosensitization, 301–303  
sarcoïdosis, 306–307  
sarcoïds, 304–306  
scalding (urine, serum, chemical), 307–311  
scratches (greasy heel, pastern dermatitis), 311–313  
sporotrichosis, 313–315  
squamous cell carcinoma, 316–317  
stud crud (idiopathic cannon keratosis), 318  
sunburn, 318  
telogen defluxion, 319–320  
temporal teratoma, 320–322  
tick infestation, 324–325  
urticaria, 325–326  
vasculitis (immune-mediated or photoactive), 326–327  
vitiligo, 329  
warts (papillomatosis), 330–332  
winter atopy, 333
- Interdental spaces, bilateral soft tissue damage to, in young quarter horse, 32
- Intermittent dorsal displacement of the soft palate, 186
- Intersex  
aneuploidy and, 473  
description of condition, 473
- Interstitial pneumonia  
in adult horses, 201–203  
causes, clinical signs, and diagnosis of, 201  
lateral thoracic radiograph of horse with, 202  
postmortem photograph of lung with, 202, 203  
showing signs of, 201  
sonogram of thorax showing “sheets” of comet tail artifacts seen with, 607

Intestinal aganglionosis (lethal white syndrome)  
 description of, 625  
 foal with, 625

Intestinal atresia  
 clinical signs and diagnosis of, 624  
 type 3, of large colon, 624

Intestinal obstruction, caused by *Pascaris equorum*, diagnosis of, 620

Intra-abdominal hemorrhage, 493

Intralesional bacilli Calmette-Guerin, sarcoid treatment and, 553

Intrascleral prosthesis, 551

Intrathoracic airways, diseases of, 190–203  
 African horse sickness, 208–209  
 aspiration pneumonia, 196  
 bacterial pneumonia in adult horses, 195  
 exercise-induced pulmonary hemorrhage, 192–195  
 infectious pulmonary diseases, 195–203  
 inflammatory airway disease, 191  
 interstitial pneumonia in adult horses, 201–203  
 noninfectious pulmonary diseases, 190–195  
 pleuropneumonia, 196–201  
 pneumothorax, 203–204  
 recurrent airway obstruction (RAO, heaves), 190–191  
 strangles, 204–207  
 thoracic wall and pleural diseases, 203–204

Intravitreal hemorrhage, uveitis and, 545

Intussusception, 619  
 jejunojejunal, postmortem specimen of, in foal, 619  
 large intestinal, 87  
 small intestinal, 74  
 target lesion seen on ultrasonography diagnostic for, 75  
 ultrasonographic image of, in foal revealing classic “bull’s-eye” appearance, 619

Iridal cysts, behavioral anomalies related to, 549

Iridal prolapse  
 treatment of, 548  
 yellow-tan colored fibrin within anterior chamber of eye of young filly, 548

Irregular incisor malocclusion, 12

Ivermectin  
 deworming with, and avoidance of cutaneous habronemiasis, 276  
 habronemiasis treatment and, 450

**J**

Jaundice, marked, throughout body due to neonatal isoerythrolysis, 602

JEB. *See* Junctional epidermolysis bullosa

Jejunojejunal intussusception, signs of, 619

Jennys (or “jennets”), gestations of, 487

Jet lesion, 142

Joints, neonatal diseases in, 630–645

Joint sepsis, severe osteoarthritis of carpometacarpal joint and, 394

Jugular vein  
 postsurgical removal, 163  
 sonogram of septic thrombophlebitis of, 161

Jugular vein thrombophlebitis  
 postoperative appearance of horse previously affected with, 164  
 surgical removal and, 163

Jumpers, decubital ulcer formation prevention in, 627

Junctional epidermolysis bullosa, 339–341  
 blistering of gums and mucocutaneous junction of mouth, 339  
 blistering of perineal area, 340  
 characteristics of, 339  
 pressure sores developing over bony protruberances, 341  
 sloughing of hoof, or “red foot,” 340

**K**

Keratitis  
 chronic uveitis and, 548  
 in horse affected by otitis media-interna (temporohyoid osteoarthropathy), 247

Keratoma  
 description of, 370  
 lateral and dorsoproximal-palmarodistal oblique radiographic projections of right hind foot of 10-year-old Appaloosa, 370

Keratomycosis  
 clinical manifestations and diagnosis of, 533  
 large, 533

Keratopathy, aged mare with band keratopathy, 532

Keratouveitis  
 idiopathic immune-mediated, 546  
 severe, *Rhodococcus equi* infection and, 608

Kicking at the abdomen, colic and, 46, 49–50

Kicking injuries, 453–455  
 breeding, hydrotherapy and, 453  
 by other horses  
 comminuted fractures of fourth metatarsal bone and, 414  
 sequestration of calcaneus and, 413  
 penile injury and hematoma, in 3-year-old Appaloosa stallion, 454  
 plexus damage during mounting, 454  
 suspensory choices for penile injuries, 455

Kidneys  
 of horse affected with acute renal failure, 562  
 with multiple cysts from horse affected with chronic renal failure, 566  
 sagittal section, from horse affected with glomerulonephritis, 563  
 ultrasonographic image of, in horse with chronic renal failure, 567

Knuckling, equine protozoal myeloencephalitis and, 234

**L**

Laceration, of oral mucosa caused by sharp enamel point on distal aspect of 211 as it occludes with 311, 33

Lameness, fracture chip of dorsoproximal first phalanx and, 389

Laminar thickening, laminitis with rotation and laminar separation and, 375

Laminitis  
 chronic  
 in left forefoot of 12-year-old pony, 376  
 in 10-year-old pony, 377  
 grain (carbohydrate) overload and, in adult horse, 99  
 insulin resistance and, 516  
 pituitary pars intermedia dysfunction and, 508, 511  
 with rotation, 375  
 with rotation and laminar separation, 376

- Large colon displacement, 82–85  
left and right, 82
- Large colon impaction, 86–87  
long-standing, adult horse who has developed colitis and diarrhea with, 86  
postmortem photograph of horse with, 86, 87  
risk factors with, 86
- Large colon volvulus, 78–82  
cross and sagittal section diagram of location of left large colon in normal horses and horses with degrees of, 79  
horse with abdominal distension due to, 78  
postmortem photograph of, in horse showing site of rotation between strangulated and nonstrangulated parts of large colon, 79  
postmortem photograph of, in horse with severely thickened large colon, 79  
postmortem photograph of horse with, 78  
ultrasonographic image of left ventral abdomen in horse with, showing thickened large colon in cases of, 82  
ultrasonographic images of abdomen in normal horse, 80  
ultrasonographic images of left ventral abdomen in horse with 540° of, 81  
ultrasonography and diagnosis of, landmarks for ventral colon, 80
- Large intestinal intussusception, ultrasonographic image of right paralumbar fossa showing classic target lesion (bull's eye) of, 87
- Large intestines, diseases of, 78–99  
grain (carbohydrate) overload, 98–99  
large colon displacement, 82–85  
large colon impaction, 86–87  
large colon volvulus, 78–82  
nonsteroidal anti-inflammatory drugs toxicity, 95–98  
salmonellosis, 88–91  
strongylosis, 92–95
- Laryngeal diseases, 187–188  
arytenoid chondropathy, 188  
epiglottic entrapment, 187  
laryngeal hemiplegia, 188  
subepiglottic cyst, 187
- Laryngeal hemiplegia  
cause and treatment of, 188  
left, in horse with complaint of exercise intolerance, 188
- Larynx, normal, 440
- Lateral plantar process of first phalanx, osseous fragmentation of, 390
- Lateral styloid process, ossification of, 632
- Lavender foal syndrome  
foal affected with, showing characteristic lavender coat color, 659  
neurological signs and diagnosis of, 659
- LCD. *See* Large colon displacement
- LCI. *See* Large colon impaction
- LCV. *See* Large colon volvulus
- LDLC. *See* Left dorsal displacement of large colon
- Lead poisoning, 243–244  
acute, tongue paralysis and dysphagia in horse affected with, 243  
clinical sign, diagnosis, and treatment of, 243  
horse with, following oral ingestion of lead solders, 243  
lead pellets found in stomach of horse with acute cerebral dysfunction, 244
- Left dorsal displacement of large colon, 83–85  
cross-section diagrams of abdomen of horse with advanced stage of, 84  
early stage of, 83  
and its treatment by rolling, 84–85
- Left large colon displacement, 82
- Leiomyosarcoma, 467
- Lens, subluxated, 542
- Lens rupture  
acute corneal and anterior lens capsule perforations in Thoroughbred gelding, 542  
inflamed eye of adult Percheron mare with penetrating corneal injury one month previous to presentation, 543  
treatment of, 543
- Lethal white syndrome, 289–290  
autosomal recessive condition resulting from breeding two overo-paint horses, 289  
foal with, 625  
gastrointestinal tract of white foal, 290  
postmortem photograph of 4-day-old foal presenting for colic with, 290
- Leucocoria, white, mature cataract and, 540
- Leukoencephalomalacia (Moldy Corn Disease), 224–225  
clinical signs and therapy for, 224  
postmortem examination of brain in horse affected with, 224
- Leydig cells  
cryptorchidism and, 448  
disruption of spermatogenesis due to cryptorchidism and, 449  
tumors of, 451
- Lice (pediculosis), 291–292  
causes and diagnosis of, 291  
diagnosis by identification of eggs attached to hair shafts, 292
- Ligament injuries, in foals, 646–649
- Lighting program, transitional mares and, 469
- Limb edema, in horse affected with purpura hemorrhagica, 169
- Lingual laceration or ulceration  
chronic, due to sharp enamel points on lingual aspects of mandibular cheek teeth, 33  
of systemic origin, 34  
in 13-year-old Thoroughbred gelding, 31
- Lipoma, 64, 66  
with long stalk, strangling loop(s) of small intestines, 65, 68  
serving as point where intestines rotated, 68
- Live mount, semen collection and, 453
- Lockjaw. *See* Tetanus (lockjaw)
- “Lollipop” lesions, 358
- Long digital extensor tendon, avulsion fracture of origin of, in foal, 644
- Long-stalk lipoma, 65, 68
- Long umbilical cord, as cause of abortion, 502–503
- Longus muscles, poll impact and damage to, 215
- Luminal epithelium, 480
- Lymphatic lacunae or cyst (endometrial cysts), 471–472  
appearance of, 471  
large, 472  
mapping, pathogenesis and treatment of, 471  
recognition of pregnancy affected by, 472
- Lymph nodes, retropharyngeal, enlarged in horse with strangles, 183

Lymphocytic-plasmocytic enterocolitis, 101  
Lymphosarcoma, 452

## M

- Male fetus, transrectal scan of, 485  
Male pseudohermaphrodites, 473  
Male reproductive system diseases. *See* Reproductive system diseases, male  
Malevolent lesions, sarcoids and, 304  
*mal seco*, 109  
Mammary gland  
  enlargement of, prior to abortion, 501  
  impending foaling and filling of, 486  
Mandible, dental tumor of, 442–443  
Mandibular dental structures  
  normal, in an immature horse, 435  
  normal, in mature horse, 435  
Mandibular incisors, severe atypical wear of, 37  
Mandibular osteomyelitis, 443  
Mandibular prognathism, foal with, 660  
Manic behavior, leukoencephalomalacia (Moldy Corn Disease) and, 224  
Mare immunopregnancy test, 477  
Mares  
  maceration of advanced age fetus in, 500  
  poor vulvar conformation in, 474  
  pyometra in, 470  
  retained placenta in, 504  
  routine monitoring of early pregnancy and, 463  
  transitional, 469  
Masseter muscle atrophy, in 2-year-old quarter horse stallion, 346  
Masturbation, hemosemen and, 449  
Mature cataract, 540–541  
Maxilla, deviation of, 26  
Maxillary dental structures, normal, in aged horse, 432  
Maxillary sinuses, anatomy of, 428  
Meckel's diverticulum, 61  
Meconium  
  balls of, ultrasonographic image of, surrounded by mineral oil in large colon, 623  
  foal passing, 622  
  foal straining to pass, showing arched back and tail position, 622  
  impaction, 622–623  
  retention and diagnosis of, 622  
  ultrasonographic image of, highlighting "speckled" appearance of, 623  
Megaesophagus  
  esophageal distension near thoracic inlet in foal with, 615  
  postmortem photograph of, in foal secondary to esophageal obstruction, 44  
  postmortem specimen of esophagus from foal, 615  
Melanoma, 293–294  
  in Arab mare, 468  
  older grey horses with, 293  
  other regions of, in old grey mare, 294  
  in parotid region of aged grey mare, 293  
  perianal, 293  
Melting corneal ulcer, 532  
Membranous ventricular septal defect, murmurs associated with, 120  
Meningitis  
  causes of, 253  
  cloudy, xanthochromic, cerebrospinal fluid collected from lumbosacral space of septicemic foal with, 593  
  recumbent adult horse affected with, 253  
Mesenteric tear, as cause of dystocia, 483  
Mesenteric torsion, 62  
  partial, postmortem photograph of, in adult horse, 62–63  
  peritoneal fluid from horse affected with, 63  
Mesodiverticular band, small loop of small intestine strangulated by, 61  
Mesorchium, testicular torsion and, 460  
Metacarpal periostitis, nuclear scintigraphic image and dorsolateral-palmaromedial oblique radiographic projection of left metacarpal region of 2-year-old Standardbred, 403  
Metacarpophalangeal and metatarsophalangeal joints (fetlock joint), 378–391  
  chronic proliferative synovitis of, 381–382  
  fracture (chip) of dorsoproximal first phalanx, 389  
  fracture of proximal first phalanx, 388  
  fracture of proximal sesamoid bone, 385–387  
  fracture of third metacarpus, 389  
  mild osteoarthritis of, 379–380  
  moderate osteoarthritis of, 379  
  osseous fragment arising from plantar margin of first phalanx, 391  
  osseous fragmentation of lateral plantar process of first phalanx, 390  
  osteoarthritis of, 378–382  
  osteochondritis dissecans and, 382  
  septic arthritis and osteomyelitis of, 384  
  sesamoiditis and, 383  
  severe osteoarthritis of, 380–381  
Metatarsophalangeal joint, normal, in foal, 630  
Methylprednisolone, nodular necrobiosis (eosinophilic collagen necrosis) treatment with, 295  
*Microsporium equinum*, dermatophytosis (ringworm) and, 281  
Midbody sesamoid fractures, prognosis for, 386  
Middle carpal joint, moderate osteoarthritis of, 393  
Midsagittal fracture of third phalanx (type 3 fracture), 368  
Milk electrolyte assays, scoring, impending foaling and, 486  
Miller, M. A., pituitary pars intermedia dysfunction and grading system developed by, 515  
Miniature horses  
  congenital patellar luxation in foals, 643  
  tracheal collapse in, 189  
Miosis, with granuloma and periocular calcification, 531  
MIP test. *See* Mare immunopregnancy test  
Mitral regurgitation  
  atrial fibrillation secondary to, 142  
  mitral valve insufficiency and, 139  
Mitral valve insufficiency, 139–142  
  color flow Doppler image from right parasternal long axis view showing small eccentric jet of mitral regurgitation, 139  
  severe, color flow Doppler image from right parasternal long axis view showing large jet of mitral regurgitation, 139  
Mitral valve regurgitation, jet lesion, postmortem image of localized areas of subendocardial fibrosis in left atrium secondary to jet of, 142



- Mixed sarcoid lesions, 304
- Moldy corn, *Fusarium moniliforme* infection of, 225
- Moldy Corn Disease, 224–225
- Monkey mouth (underbite), 15
- Monocystic granulosa cell tumor, 467
- Mount mare, semen collection and, 453
- Mouth, diseases of, 37–39
  - glossitis, 38–39
  - oral foreign body, 38
  - squamous cell carcinoma, 37
- Mullerian system, remnants of, breeding accidents and, 464
- Multifocal vasculitis, 326
- Multisystemic eosinophilic epitheliotropic disease, 101
- Mummification, fetal death followed by, 500
- Murmurs, with aortic valve insufficiency, 145
- Muscle atrophy
  - masseter muscle, in 2-year-old quarter horse stallion, 346
  - Streptococcus equi* infection-associated myopathies and, 345
- Muscle injuries, in foals, 646–649
- Muscles, diseases of, 343–350
  - hyperkalemic periodic paralysis, 344–345
  - muscle atrophy (masseter muscle), 346
  - myopathies associated with *Streptococcus equi* infection, 345
  - polysaccharide storage myopathy, 347–349
  - recurrent exertional rhabdomyolysis, 350
  - sporadic exertional rhabdomyolysis, 346
- Muscle wasting, Cushing's syndrome and, 274
- Muscular ventricular septal defect, 120, 121
- Muzzle papillomas, 330
- Myocardial diseases, 134–138
  - cardiomyopathy, 134–136
  - cor pulmonale, 138
  - myocarditis, 137–138
- Myocarditis, 137–138
  - in adult horse, postmortem photograph of heart with ventricular dysrhythmia, 137
  - Holter recording from horse with, 138
  - signs of, 138
- Myocardium, rib fracture and fatal puncture of, 645
- Myopathies, *Streptococcus equi* infection-associated, 345
- ## N
- Nasal cavity, fluid opacity throughout, 429
- Nasal discharge, with primary choke, 40
- Nasogastric tube, passing, 53
- Nasopharyngeal region, hypoxic ischemic encephalopathy and lack of tone in, 583
- Natural breeding, vaginal examination and, 464
- Natural service, for semen collection, 453
- Navicular bone, 356–362
  - cysts of
    - description of, 358
    - enlarged and abnormally shaped synovial invaginations, and enthesopathy, 358–359
  - degenerative change in, 360–361, 361
  - dorsoproximal-palmarodistal oblique radiographic projections of, for two horses, 356, 358
  - fracture of, 361
  - lateral and solar views from bone phase of scintigraphic study of 7-year-old quarter horse, 362
  - normal radiographic appearance of, 356–357, 357, 360
  - palmaroproximal-palmarodistal oblique radiographic projections of, in two horses, 357
- Navicular degeneration, evidence of, 358
- NCC. *See* Noncoronary cusp
- Necrotizing enterocolitis
  - hemorrhagic diarrhea due to, 585
  - postmortem specimen from foal with, 585
  - sonogram of foal's abdomen showing small intestinal loops with pneumatosis intestinalis in conjunction with, 586
- Neonatal hypothyroidism, 522
- Neonatal hypothyroidism and goiter, 659
  - clinical signs and diagnosis of, 659
- Neonatal isoerythrolysis, 600–602
  - clinical signs, diagnosis, and treatment of, 600
  - foal with characteristic pale jaundiced mucous membranes due to, 600
  - jaundiced sclera in foal with, 601
  - marked jaundice throughout body and, 602
  - pigmenturia from foal with severe acute hemolysis, 601
- Neonatal maladjustment syndrome, 581
- Neonates, diseases of, 579–660
  - alimentary system, 613–626
    - alloimmune thrombocytopenia, 658
    - congenital hypothyroidism and dysmaturity syndrome, 660
    - hypoxic ischemic syndrome, 581–586
  - integument system, 656–658
    - lavender foal syndrome, 659
  - musculoskeletal system, 630–649
    - neonatal hypothyroidism and goiter, 659
    - neonatal isoerythrolysis, 600–602
  - nervous system, 626–627
  - ocular system, 628–629
  - prematurity, 596–600
  - respiratory system, 602–612
  - sepsis, 587–595
  - urinary system, 650–655
- Neoplasia, 132–133, 451–452
  - granulosa cell tumors, 466–468
  - leiomyosarcoma, 467
  - lymphosarcoma, 452
  - melanoma, 468
  - monocystic granulosa cell tumors, 467
  - precancerous lesions, 451
  - seminoma, 451
  - squamous cell carcinoma, 468
  - squamous cell carcinoma on penis of horse, 452
- Neoplasm, granuloma vs., 554
- Nephrolithiasis, 571
  - postmortem photograph of renal calculus in horse with, 575
  - weight loss in horse with, 576
- Nephroliths, 575
- Nephrosplenic entrapment of large colon, 83
- Nervous system, diseases of, 211–253
  - brain abscess, 212–214
  - cholesterol granuloma (cholesteatomas), 244
  - equine herpes virus myeloencephalitis, 229–233
  - equine motor neuron disease, 237–239
  - equine protozoal myeloencephalitis, 234–235
  - equine wobbler syndrome, 236–237
  - facial nerve trauma, 252
  - head trauma, 214–222

- hepatoencephalopathy, 223–224  
 Horner's syndrome, 245  
 lead poisoning, 243–244  
 leukoencephalomalacia (Moldy Corn Disease), 224–225  
 meningitis, 253  
 otitis media-interna (temporohyoid osteoarthropathy), 246–251  
 rabies, 239  
 radial nerve paralysis, 251  
 stringhalt, 240  
 tetanus (lockjaw), 240–242  
 verminous meningoencephalomyelitis, 228–229  
 West Nile Virus, 225–227  
 Neurological deficits, guttural pouch diseases and, 182  
 NI. *See* Neonatal isoerythrolysis  
 Nitrate concentrations in diet, congenital hypothyroidism and dysmaturity syndrome due to, 660  
 Nodular lesions, sarcoids and, 304  
 Nodular necrobiosis (eosinophilic collagen necrosis), 294–295  
   low-grade discomfort to horse “under-saddle,” 295  
   slight melanotrichosis in chestnut horse, 294  
 Nonarticular fracture of wing of third phalanx, 366–367  
 Noncoronary cusp, echocardiographic image of ventricular septal defect and, 122  
 Nonepitheliotropic lymphosarcoma, clinical signs of, 277  
 Nongastrointestinal colic, causes of, 46  
 Noninfectious pulmonary diseases, 190–195  
   exercise-induced pulmonary hemorrhage, 192–195  
   inflammatory airway disease, 191  
   recurrent airway obstruction (RAO, heaves), 190–191  
 Nonsteroidal anti-inflammatory drugs toxicity, 95–98  
   adult horse with oral ulcers affected by, 96  
   adult horse with weight loss and ventral edema caused by, 95  
   brisket edema in adult horse with, 97  
   clinical signs and diagnosis of, 95  
   postmortem examination of adult horse with severe necrotic right dorsal colon affected by, 96  
   prepuital edema in horse with, 97  
   ultrasonographic image showing thickened wall of right dorsal colon in adult horse affected with, 98  
 NSAID toxicity. *See* Nonsteroidal anti-inflammatory drugs toxicity  
 NSEL. *See* Nephrosplenic entrapment of large colon  
 Nutritional hyperparathyroidism, 525  
 Nutritional secondary hyperparathyroidism  
   postmortem photograph of one side of mandible from horse with, 526  
   sagittal section of long bone from horse with, 526
- O**  
 Occipital condyles, poll impact and fracture of, 219  
 Occipital cortex dysfunction, poll impact and, 215  
 Occult lesions, sarcoids and, 304  
 OCD. *See* Osteochondritis dissecans  
 Ocular trauma, blunt, corneal laceration and, 531  
 Omental hernia, in foal, 109  
 Omphalophlebitis, with urachal abscessation in septicemic foal, 594  
*Onchocerca cervicalis*, 295  
 Onchocerciasis, 295–296  
   lesions associated with, 295  
   patchy alopecia, crusting, and depigmentation of ventral midline, 296  
 Optic nerve degeneration, secondary to previous head trauma that induced optic nerve damage and blindness, 555  
 Optic nerve dysfunction  
   in foal, resulting from frontal/parietal impact, 220  
   head trauma and, 218  
 Oral foreign body, 38  
 Oral ulcers, chronic renal failure and, 564  
 Orbital neoplasms, prognosis for, 553  
 Ossification  
   of accessory cartilages of third phalanx (sidebone), 371  
   of accessory cartilages of third phalanx (sidebone), causes of, 371  
   grade 1, of carpal bones in foal, 633  
   grade 2, of carpal bones in foal, 634, 636  
   incomplete, of cuboidal bones due to congenital hypothyroidism and dysmaturity syndrome, 660  
 Osteoarthritis, 392–394, 410–412  
   of distal interphalangeal joint, 364–365  
   of left distal interphalangeal joint of 10-year-old Thoroughbred, 365  
   mild  
     of distal intertarsal and tarsometatarsal joint, 410  
     of metacarpophalangeal joint in 4-year-old Standardbred, 378–379  
   mild, of antebrachicarpal joint, 392  
   moderate  
     of distal intertarsal joint, 410  
     of metacarpophalangeal joint, of 6-year-old Standardbred, 379  
     of middle carpal joint, 393  
   of proximal interphalangeal joint (high ringbone) in 13-year-old Appaloosa, 363  
   severe  
     of carpometacarpal joint, 394  
     of distal intertarsal joint, 411  
     of metacarpophalangeal joint of 2-year-old Standardbred, 380–381  
     of proximal intertarsal joint, distal intertarsal joint, and tarsometatarsal joint, 411  
   of stifle joint, 417  
     chronic cranial cruciate ligament injury and, 418  
 Osteochondritis dissecans, 407–409  
   bilateral, of lateral trochlear ridge, lateral radiographic projections of left and right stifles of 1.5-year-old Standardbred, 416–417  
   of distal intermediate ridge of tibia, 407  
   of lateral trochlear ridge of talus, 408  
   of medial malleolus of tibia, dorsolateral-plantaromedial oblique projection, 409  
   of medial malleolus of tibia, dorsoplantar radiographic projection, 408  
   of medial trochlear ridge of talus, 409  
   of median sagittal ridge of third metatarsal bone, 382  
 Osteochondrosis, 391  
   lesions, 401  
   subchondral bone cysts and, 372  
 Osteodystrophia fibrosa, 525  
 Osteoma, 181

- Osteomyelitis  
of fourth metatarsal bone, 414  
fracture of fourth metacarpal bone with evidence of, 407  
hematogenous spread of bacterial infection as cause of, 426  
mandibular, 443  
septic arthritis and, in foals, 639  
of third cervical vertebra, 426–427  
of third phalanx  
causes of, 369  
in 9-year-old Hunter, 369
- Osteophytes, 378, 379  
moderate osteoarthritis of middle carpal joint and formation of, 393
- Otitis media-interna (temporohyoid osteoarthropathy), 246–251  
clinical signs and diagnosis of, 246  
computed tomography in horse affected with, 250  
endoscopic view of guttural pouch in horse affected by, showing thickened stylohyoid bone, 248  
head tilt in horse affected with, 246  
keratitis and severe endophthalmitis in horse affected with, 247  
postmortem examination of stylohyoid bones in horse affected with, 250–251  
ptosis in horse affected with, 247  
transtympanic lavage in horse affected with, 249  
unilateral facial paralysis in horse affected with, 246  
ventrodorsal skull radiograph of horse affected with, 248
- Ovarian suppression, granulosa cell tumors and, 466
- Ovary, transitional, from a mare, 469
- Overbite (parrot mouth), 13–14
- Overlong tooth 109, in 4-year-old horse, 27
- Overlong tooth 309, due to fractured tooth 209, 28
- Overo-overo mating, intestinal aganglionosis (lethal white syndrome) and, 625
- Over-paint horses, lethal white syndrome resulting from breeding of, 289
- Ovulating follicle, 462
- P**
- PA. *See* Pulmonary artery
- “Paint-brush” tufts, dermatophilosis (rain scald) and, 280
- Pampiniform plexus, systemic body temperature increases, disruption of spermatogenesis due to cryptorchidism and, 449
- Pancreas, normal boundaries of epiploic foramen and, 71
- Pansystolic band shaped murmur, phonocardiogram from horse with, 120
- Papillomas (wart), photomicrograph of papilloma showing squamous epithelium, stratum corneum, and connective tissue stalk, 332
- Paralytic rabies, 239
- Paramastoid processes, poll impact and fracture of, 219
- Paranasal sinuses, 427  
fluid opacity throughout, 429
- Parascaris equorum*  
impaction with, 60  
intestinal rupture due to ileal obstruction with, 620
- Parietal (Richter’s) hernia, enterocutaneous fistula in horse as sequela to, 108
- Parietal vaginal tunic, scrotal hernia and, 458
- Paroxysmal ventricular tachycardia, 160
- Parrot mouth (overbite), 13–14, 614  
large amount of excessive crown at mesial portion of 106 in 10-year-old quarter horse stallion, 7  
rostral hook and, 6
- Pastern dermatitis, 311–313
- Patella  
chronic fracture of, 419  
lateral luxation of, in 4-week-old Standardbred foal, 643
- Patellar luxation, congenital, in miniature horse foals, 643
- Patent urachus, in debilitated recumbent neonates, 652
- Pawing, colic and, 46, 48
- PE. *See* Pericardial effusion
- Pedunculated lipoma  
intraoperative photograph of small intestinal strangulation caused by, 65  
postmortem photographs of, 64–65
- Pemphigus, 297–301  
types and signs of, 297
- Pemphigus foliaceus, 297  
alopecia on inside of proximal hind limb and inguinal region in horse with, 298  
characteristic round acantholytic cells on histological section, 301  
close-up of flank region in horse with, 297  
early, transient blister formation with, 300  
face lesions with, 299  
hind limb lesions with, 300  
histological section showing separation of epidermis, 301  
horse of unknown age with alopecia and oozing due to, 297  
in horse with lesions on face, coronary bands, and ventrum, 299  
left upper forelimb of quarter horse with alopecia, crusting, and secondary excoriation, 298
- Penile prolapse, grass sickness and, 115
- Penis  
kicking injuries to, 453, 454  
paralysis and amputation of, 456  
squamous cell carcinomas on, 451  
suspensory choices for injuries to, 455
- Perforated corneal ulcer, with iridal prolapse, 534
- Pergolide administration, pituitary pars intermedia dysfunction treatment and, 513
- Pericardial catheter, placement of, 131
- Pericardial diseases, 129–133  
neoplasia, 132–133  
pericarditis, 129–132
- Pericardial effusion, 129  
cardiac tamponade with, 129  
electrocardiograms obtained prior to and immediately after drainage of large amount of, 130  
large, ultrasonographic image of ascites and pleural effusion in pony with, 132  
M-mode echocardiographic image demonstrating small amount of, 130
- Pericardial mesothelioma  
clinical signs of, 132  
echocardiographic images of  
right parasternal long axis, 132  
right parasternal short axis view of ventricles, 133  
postmortem examination showing parietal pleura, parietal pericardium and mediastinum covered with coalescing cobblestone nodules, 133
- Pericardiocentesis, 131

- Pericarditis, 129–132  
 constrictive, postmortem photograph from 3-year-old colt with, showing thickened pericardium peeled back off epicardium, 131  
 fibrinoeffusive, two-dimensional echocardiographic image from horse with large pericardial effusion and fibrin on epicardial surface, 129  
 physical examination findings and diagnosis of, 129
- Perineal tears and lacerations  
 surgical repair of, 495  
 third-degree, 494
- Periocular calcification, granuloma and, 531
- Periocular papillomatosis, 330
- Periodontal disease  
 chronic incisor, with cemental hypoplasia, 19  
 feed trapped at lingual aspect of interproximal space, 17 in 2-year-old Thoroughbred, 15
- Periodontal pocket, 16  
 packed feed visible in both views, lingual and buccal aspects, 17
- Periostitis  
 at origin of suspensory ligament, 406  
 stress fractures and, 404
- Periovarian adhesions, 476
- Peripapillary butterfly lesion, 556
- Peripartum asphyxia syndrome, 581
- Peritoneal fluid, from horse affected with mesenteric torsion, 63
- Peritonitis, 105–107  
 adult horse affected with, 105  
 causes and clinical signs of, 105  
 diffuse, microscopic examination of smear made from peritoneal fluid of horse with, secondary to intestinal rupture, 106  
 ultrasonographic image of abdomen in horse affected with, showing cellular fluid and fibrin tag, 107  
 ultrasonographic image of abdomen in horse affected with, showing thickened small intestine, surrounded by cellular fluid, 107
- Persistent dorsal displacement of the soft palate, 186
- Peruvian Paso mare, with supernumerary and displaced incisors, 13
- Petechiae  
 alloimmune thrombocytopenia in foal with, 658  
 in ear of septicemic foal, 591  
 in nasal mucosa of horse affected with purpura hemorrhagica, 170
- Petrous temporal bone, hemorrhage into inner/middle ear from fractures of, 217
- Phacoclastic uveitis, clinical diagnosis and prognosis for, 543
- Phaeohyphomycosis  
 causes, clinical signs, diagnosis, and treatment of, 323  
 nodular granulomatous dermatitis in horse with, 323  
 photomicrograph of, showing pigment-producing yeast organisms, 323
- Phalanges, 363–378  
 articular fracture of wing of third phalanx, 367–368  
 assessment of third phalanx rotation, 377–378  
 chronic laminitis, 376–377  
 complete fracture of first phalanx, 374–375  
 fracture of extensor of third phalanx, 365–366  
 fracture of palmar process of third phalanx, 369  
 keratoma, 370  
 laminitis with rotation and laminar separation, 375–376  
 nonarticular fracture of wing of third phalanx, 366–367  
 ossification of accessory cartilages of third phalanx, 371  
 osteoarthritis of distal interphalangeal joint, 364–365  
 osteoarthritis of proximal interphalangeal joint, 363  
 osteomyelitis of third phalanx, 369  
 sagittal fracture of third phalanx, 368  
 subchondral cystic lesions of, 373–374  
 distomedial first phalanx, 372  
 proximomedial second phalanx, 373
- Phallectomy, 452
- Phantom mare, semen collection and, 453
- Pharangeal region, lateral radiographic projections of, 440
- Pharyngeal anatomy, normal, and guttural pouches, 438
- Pharyngeal compression, fluid within guttural pouches and, 438
- Pharyngeal diseases  
 dorsal displacement of the soft palate, 186  
 pharyngitis, 186
- Pharyngitis, grade 4/4 pharyngeal lymphoid hyperplasia in 2-year-old racehorse, 186
- Phenothiazine tranquilizers, penile paralysis and, 456
- Pheochromocytoma, postmortem photograph of, in adrenal medulla of horse, 527
- Phialophora*, phaeohyphomycosis and, 323
- Photoactive dermatitis, 327
- Photodermatitis, hepatoencephalopathy and, 223
- Photosensitization, 301–303  
 classification of, 301  
 head of mature quarter horse exhibiting signs of, 302  
 lateral and medial aspects of left front leg in horse with, 303
- Phthisis bulbi, choroid detachment and, 549
- Physeal closure, normal metatarsophalangeal joint and, 630
- Physeal dysplasia (physitis)  
 of distal physis of radius in foal, 633  
 of distal physis of third metacarpus and proximal physis of proximal phalanx in foal, 632
- Physitis, causes of, 632
- Pinky syndrome (Arabian fading syndrome), 328
- Pituitary pars intermedia dysfunction, 508–515  
 beginning of classical clinical signs in, 509  
 bulging of supraorbital fossa in horse with, 511  
 grading system by M. Miller et al. for, 515  
 hirsutism and, 508, 509, 510, 512, 513  
 horse with, responding to oral pergolide therapy, 513  
 inappropriate lactation in horse with, 512  
 lack of muscle tone and poor top line conformation characteristic of, 510  
 pituitary gland, cut lengthwise showing thickening of pars intermedia, 514  
 pituitary gland cut lengthwise, 515  
 pony with classic clinical signs of, 508  
 pony with cresty neck and, 509  
 postmortem photograph of brain and extremely enlarged pituitary gland in horse with, 513  
 postmortem photograph of enlarged pituitary gland in situ on bottom of cranial vault, 514  
 severe chronic laminitis in pony with, 511
- Placenta, retained, 504
- Placental insufficiency, prematurity and, 596
- Placental separation, premature, and prolapse of bladder, 486

- Placentation, variations in twin pregnancies, 499
- Placentitis, prematurity and, 596
- Pleura, diseases of, 203–204
- Pleural fluid, drainage from indwelling chest tube, 199
- Pleuropneumonia  
acute  
intercostal transverse ultrasonographic image of ventral midthorax of racehorse with, 197  
lateral radiograph of cranioventral thorax of racehorse with, 197  
racehorse with, after long-distance transportation, 196  
gross examination of chest cavity in horse with, 201  
lateral thoracic radiograph of horse with, 198  
photomicrograph of pleural fluid showing degenerate white blood cells and mixed bacteria in racehorse with, 198  
risk factors, diagnosis and treatment of, 196  
severe pyogranulomatous pleuritis and pyothorax in horse with, 200  
severe pyrogranulomatous pericarditis in horse with, 200
- Pneumonia  
acute, lateral radiographic projection of thoracic activity in 9-day-old Standardbred, 603  
chronic, lateral radiographic projection of caudodorsal lung fields in 7-month-old Standardbred, 604  
clinical signs, diagnosis and treatment of, 612  
foal recovering from HIS and, in sternal support with intranasal oxygen insufflation, 612  
foal with nostril flaring due to, 612  
interstitial, sonogram of thorax showing “sheets” of comet tail artifacts seen with, 607
- Pneumothorax  
Heimlich valve attached to indwelling chest tube to allow drainage of pleural fluid while preventing development of, 199  
lateral thoracic radiograph of horse with, secondary to pneumonia, 203  
pleural exudate draining from chest of horse injured in trailer accident resulting in pleuritis and, 204
- Polanski speculum, failure to demonstrate cervical tears and, 476
- Poll impact  
adult horse affected with, showing wide-base stance, 219  
adult horse with head trauma due to, showing head tilt and facial asymmetry, 216  
adult horse with recumbency caused by head trauma due to, 217  
adult horse with recumbency caused by head trauma due to, showing bloody discharge from ear, 217  
head trauma and, 214, 215, 216, 217  
types of muscular and cranial nerve damage due to, 215
- Polydantia, 5-year-old draft mare with, 35
- Polyps, sinonasal, 181
- Polysaccharide storage myopathy, 347–349  
adult horse affected with, 347  
breeds affected by and diagnosis of, 347  
periodic acid-Schiff stained slides for glycogen of muscles from normal horse and horse affected with, 349  
semitendinosus/semimembranosus muscle biopsy obtained from horse affected with, 347–348
- Porphyria, 301
- Portal vein, normal boundaries of epiploic foramen and, 71
- PPID. *See* Pituitary pars intermedia dysfunction
- Precancerous lesions, 451
- Pregnancy  
early, routine monitoring of, 463  
endometrial cyst affecting recognition of, 472
- Prematurity, 487, 596–600  
causes, clinical signs and management of, 596  
flexural laxity and, 648  
foal with curly soft ears, 597  
foal with slipper foot, 598  
head of premature foal showing classic signs of, 597  
incomplete ossification of cuboidal bones in hock and carpus, 599  
lateral radiograph of carpus of premature foal showing incomplete ossification of carpal bones with some cuboidal bones showing degree of ossification, 599  
marked paradoxical respiration in premature foal, 600  
placing hoof up to wither’s level highlights increased tendon and periarticular laxity, 598  
small size, domed head, and periarticular laxity in foal, 596
- Preovulatory follicle, ultrasound image of, 462
- Prepuital edema, in adult horse, nonsteroidal anti-inflammatory drugs toxicity and, 97
- Pressure sores, 270–272  
lack of bedding and, 272
- Priapism, 456
- Primary choke  
anatomical areas for occurrence of, 40  
causes of, 40
- Primary hyperparathyroidism, 523–525  
causes of, 524  
close-up of horse with, revealing increased bone growth in skull, 524  
side view of horse with, showing fibrous osteodystrophy of skull, 523  
side view of skull of horse with, 525
- Primary (idiopathic) glaucoma  
corneal striae, aphakic crescent, and mild buphthalmia in quarter horse, 537  
diagnosis of, 538  
ocular trauma vs., 538
- Primary photosensitization, 301
- Progressive ethmoid hematoma, endoscopy of caudal nasal passage revealing red, smooth, glistening hematoma protruding from ethmoid region, 178
- Proliferative bone at articular facets of C 5-6, 424
- Proliferative enteropathy (*Lawsonia intracellularis*), 76–77  
foal with chemosis developed secondary to severe hypoproteinemia, 77  
foal with diarrhea and rectal prolapse, 77  
foal with intermandibular edema, 76  
postmortem photograph of intestine of foal affected with, 77
- Proximal interphalangeal joint (high ringbone), osteoarthritis of, 363
- Proximal intertarsal joint, severe osteoarthritis of, 411
- Proximal sesamoid bone  
apical fracture of, 385  
fracture of, 385–387
- Proximal tibia, Salter-Harris type 2 fracture of, in 4-week-old Standardbred foal, 642
- PSSM. *See* Polysaccharide storage myopathy

- Psychogenic polydipsia  
horse with, 560  
predisposing factors for and management of, 560
- PTH secreting tumor, primary hyperparathyroidism and, 524
- Ptosis  
Horner's syndrome and, 245  
in horse affected by otitis media-interna (temporohyoid osteoarthropathy), 247  
in horse with grass sickness, 114
- Ptyalism, gastric ulcers and, 56
- P type (physeal) of infectious polyarthritis  
in older foals, 640  
in 4-week-old Standardbred foal, 640
- Pulmonary abscessation, 604–605  
lateral radiographic projections of caudodorsal lung fields of 4-month-old Standardbred, 604–605  
perihilar lymph node enlargement and, 605
- Pulmonary artery  
poststenotic dilatation of, 124  
radiographic image of radiopaque electrical cardioversion catheter in, 157
- Pulsion diverticulum, 45
- Purkinje cells, rabies and brown-staining Negris bodies in, 239
- Purpura hemorrhagica, 168–173  
adult horse with, 168  
clinical signs and treatment for, 168  
ecchymoses in oral mucosa in horse affected with, 170  
ecchymoses in vulvar mucosa in mare affected with, 171  
ecchymotic hemorrhage on muzzle of horse affected with, 171  
edema of head in horse affected with, 169  
limb edema in horse affected with, 169  
petechiae in nasal mucosa in horse affected with, 170  
serum exudation and limb edema in horse affected with, 172  
skin crusting in horse affected with, 172  
skin sloughing in horse affected with, 173  
strangles and, 204  
*Streptococcus equi*-associated, 326
- Pururitis, pemphigus foliaceus and, 299
- Pyelonephritis, 567–568  
depressed horse with, 567  
postmortem photograph of kidney and ureters from horse affected with ureteritis and, 568
- Pyogranulomatous pericarditis, in horse with pleuropneumonia, 200
- Pyometra, 470, 500  
causes and treatment of, 470  
endoscopy and ultrasonography of, 470  
mare with, discharging pus from vulva, 470
- Q**
- QRS complexes  
atrial tachycardia during trotting exercise, telemetric recording from horse with atrial tachycardia and second degree AV block, 153  
atrial tachycardia with second degree AV block at rest, 153  
in ECG from horse with atrial fibrillation, secondary to mitral regurgitation and left atrial enlargement, 154  
in electrocardiogram from horse with aortic valve insufficiency, 146  
in Holter recording from horse with myocarditis, 138  
multiform ventricular tachycardia, 160  
normal, atrial fibrillation secondary to mitral regurgitation and left atrial enlargement, 142  
normal resting sinus rhythm, 150  
supraventricular arrhythmias and, 152  
sustained unifocal ventricular tachycardia, 159  
third degree (complete), base apex recording from neonatal foal with septic myocarditis, 152  
Type I second degree atrioventricular (AV) block, 151  
ventricular premature depolarization, 158
- QRS waves, in ECG from horse with atrial endocarditis, 149
- Quinidine administration, idiosyncratic and toxic reactions with, 156
- Quinidine gluconate, atrial fibrillation treatment and, 154
- Quinidine sulfate treatment  
atrial fibrillation treatment and, 154  
horse fitted with telemetry during, 156
- R**
- Rabies  
clinical signs and diagnosis of, 239  
histological examination with immunoperoxidase stain of cerebellum of animal affected with, 239
- Racehorses, atrial fibrillation and, 155
- Radial carpal bone, fracture of distal margin of, 396
- Radial cysts, 401
- Radial facet, third carpal bone with mild sclerosis of, 395
- Radial nerve paralysis, foal with dropped elbow and flexion of all distal limb joints due to, 251
- Rain scald, 279–281
- Ramps, 9
- RAO. *See* Recurrent airway obstruction
- RCC. *See* Right coronary cusp
- RCT. *See* Ruptured chorda tendinea
- RDLC. *See* Right displacement of left large colon
- Rectal prolapse, 492
- Rectal tears and lacerations, 494
- Rectovaginal fistula, 495
- Rectus capitis muscles, poll impact and damage to, 215
- Recurrent airway obstruction, 190–191  
accumulation of mucopurulent respiratory secretions in trachea of horse with, 190  
nostril flaring during, 190
- Recurrent exertional rhabdomyolysis  
breeds affected by and diagnosis of, 350  
hematoxylin and eosin stained slides of muscles obtained from normal horse and horse affected with, 350
- “Red foot,” junctional epidermolysis bullosa and, 340
- Renal failure  
acute, hematuria in horse affected with, 561  
acute, horse with severe depression and, 560  
causes and clinical signs of, 560  
chronic, 563–567  
weight loss in horse affected with, 563
- Renal function, altered, edema formation giving ventral abdomen of foal a wrinkled appearance, 586
- Reproductive system diseases  
female, 462–504  
aging of fetus, 464  
aneuploidy and intersex, 473  
ascending placentitis, 501  
cervical tears, 476  
clitoral anatomy and sampling of clitoral sinuses, 465

- coital exanthema, 475
- early and late gestation fetal sexing, 484–485
- early and later embryonic death, 496
- embryonic death and abortion due to twinning, 497–499
- endometrial biopsy, 479–480
- enlargement of mammary gland prior to abortion, 501
- fetal death followed by anestrus, 477
- fetal death followed by mummification, 500
- general approaches and forms of dystocia, 481–483
- granulosa cell tumors, 466–468
- hydrops allantois, 490
- intra-abdominal hemorrhage, 493
- long umbilical cord as cause of abortion, 502–503
- lymphatic lacunae or cyst, 471–472
- nature of equine placentation, 504
- normal contusion of vagina, 491
- periovarian adhesions, 476
- poor vulvar conformation, 474
- premature placental separation and prolapse of bladder, 486
- prematurity, 487
- pyometra, 470
- rectal, vaginal, and perineal tears and lacerations, 494–495
- rectal prolapse, 492
- routine culture and cytology to investigate infertility, 478
- routine diagnostics of estrous cycle, 462
- routine monitoring of early pregnancy, 463
- severe vaginal contusions and pelvic subluxation, 492
- stillbirth or abortion close to term, 501
- transitional state, 469
- transluminal adhesions, 471
- uterine hemorrhage, 493
- uterine rupture, 489
- vaginal examination, 464
- ventral abdominal rupture, 488
- ventral edema in late gestation, 488
- vulvar injuries, 475
- male, 447–461
- cryptorchidism, 447–449
- hemosemen, 449–450
- kicking injuries, 453–455
- neoplasia, 451–452
- penile paralysis and amputation, 456
- scrotal hernias, 457–460
- smegma accumulation “beans” in fossa glandis, 461
- testicular hypoplasia, 455
- testicular torsion and hydrocele, 460–461
- RER. *See* Recurrent exertional rhabdomyolysis
- Reserpine
- Holter monitor recording of horse receiving, 151
- side effects with, 151
- Respiratory distress, hyperkalemic periodic paralysis and, 345
- Respiratory obstruction, hypoxic ischemic encephalopathy and, 583
- Respiratory system, diseases of, 175–209
- African horse sickness, 208–209
- diseases of extrathoracic airways, 176–189
- diseases of intrathoracic airways, 190–203
- diseases of thoracic wall and pleura, 203–204
- strangles, 204–207
- Retained deciduous teeth “cap,” 23
- Retained placenta, treatment of, 504
- Reticulated leukotrichia
- characteristics of and breeds affected by, 258
- in young quarter horse, 258, 259
- Retina
- degeneration of, 555
- tapetal fundus of, lipofuscinlike pigment in, equine motor neuron disease and, 238
- thin, 556
- Rhinitis sicca, grass sickness and, 113
- Rhodococcus equi*, 606–610
- clinical signs associated with intestinal form of infection with, 609
- foal infected with, causing osteomyelitis of extensor process of third phalanx and inguinal abscess, 610
- intestinal form of, 609
- large encapsulated abscesses throughout lung parenchyma due to, 606
- large intra-abdominal abscess due to suppurative inflammation of mesenteric lymph node caused by infection with, 610
- lateral thoracic radiograph of foal with, 607
- pulmonary abscessation in foals infected with, 605
- purulent material being removed from abscessed precapsular lymph node, 608
- rotavirus diarrhea and, 621
- severe keratouveitis due to immune complex deposition associated with, 608
- sonogram of thorax showing discrete superficial abscesses in lung parenchyma, 606
- sonogram of thorax showing “sheets” of comet tail artifacts, seen with interstitial pneumonia, 607
- stifle effusion associated with immune complex deposition in synovial structures associated with infection by, 608
- Rhodococcus equi* pneumonia, clinical signs, diagnosis, and treatment of, 606
- Rib fracture
- fatal puncture of myocardium as result of, 645
- ultrasonographic appearance of, 645
- Right coronary cusp, echocardiographic image of ventricular septal defect and, 122
- Right displacement of left large colon, 82
- pelvic flexure in right side of abdomen lateral to cecum, 83
- postmortem photograph of horse with, 82
- Rocky Mountain horses, thin retina in, 556
- Rolling
- colic and, 46, 51–52
- treatment for left dorsal displacement of large colon with, 84–85
- Rostral hook, 6–7
- Rostral maxillary sinuses, 427
- fluid within, 428
- Rostral sinuses, fluid lines in, 430
- Rotavirus diarrhea
- clinical signs, diagnosis and treatment of, 621
- foal with, 621
- Rubbing, hair loss and damage over croup and tail due to, 289
- Ruptured bladders, ultrasonographic examination of ventral part of caudal abdomen of two foals with, 651
- Ruptured chorda tendinea
- postmortem photograph of, 140

- postmortem photograph showing splitting of atrial epicardium secondary to, and acute mitral valve regurgitation, 140
- sonographic image of pulmonary edema in horse with congestive heart failure and, 141
- Ruptured common digital extensor tendon  
diagnosis and treatment of, 646
- in foal, 646
- Ruptured gastrocnemius muscle/tendon, in foal, 646
- ## S
- Sabulous urolithiasis, postmortem photograph of bladder affected with, 577
- Salivary cyst, as cause of dystocia, 482
- Salmonella typhimurium*, salmonellosis and, 88
- Salmonellosis, 88–91  
acute, postmortem photograph showing severe enterocolitis in horse affected with, 89
- dark red and tacky gum, plus endotoxemia in horse affected with, 91
- horse with watery diarrhea affected with, 88
- inflamed large colon and, 89–90
- rotavirus diarrhea and, 621
- severe dehydration and skin tenting in horse affected with, 91
- small intestines affected with, 90
- Salter-Harris type 2 fracture  
of distal metacarpus in foal, 642
- of proximal tibia in foal, 642
- Sarcocystis neurona*, equine protozoal myeloencephalitis and, 234
- Sarcoidosis, 306–307  
clinical signs of, 306
- mature horse with generalized scaling and alopecia due to, 306
- progression of clinical signs in horse with, 307
- Sarcoids, 304–306  
classification, diagnosis and treatment of, 304
- fibroblastic, in dorsolateral aspect of left front fetlock, 305
- fibroelastic, on upper lip, 306
- flat, with alopecia at base of mane, 304
- mature horse with, 304
- nodular, dorsal and caudal to commissure of lip in mature horse, 305
- treatment for, 553
- of upper eyelid, 553
- “Sawhorse” stance, tetanus (lockjaw) and, 240
- Scalding, 307–311  
chemical, 309–310
- serum, 307–309
- urine, 311
- SCC. *See* Squamous cell carcinoma
- Sclera, jaundiced in foal with neonatal isoerythrolysis, 601
- Scleral hemorrhage, foal with, 629
- Scratches (greasy heel, pastern dermatitis), 311–313  
description of, 311
- in horse with deep horizontal fissures in midpastern region and beginning of photoactive dermatitis, 312
- photoactive dermatitis and, 327
- photoactive vasculitis originating from pastern dermatitis, 313
- photosensitization and, 307
- yearling horse with, 311, 312
- Scrotal hernia, 457–460  
anatomy of, 458
- castration and, 460
- congenital  
surgery for, 459
- 30-day-old foal with severe right-sided scrotal hernia, 459
- in foal, showing preputial swelling, 625
- ultrasonography of, 458
- Scrotum, equine, average size of, 455
- Secondary choke, 45–46  
esophageal diverticulae and, 45
- postmortem photograph of vascular ring anomalies in foal, 46
- Secondary glaucoma, 539  
aphakic crescent, cataract, and posterior synechiae in ageing polo pony, 539
- peripheral corneal edema, miosis, and corneal stromal vascularization in middle-aged horse, 539
- treatment of, 539
- Secondary hyperparathyroidism, 525–526  
clinical signs and causes of, 525
- horse’s head with distorted facial bones due to replacement with fibrous connective tissue, 525
- postmortem photograph of one side of mandible from horse with, 526
- Secondary photosensitization, 307
- Second metacarpal bone, splint exostosis of, 406
- Second phalanx, subchondral cystic lesion of, 373
- Seizures  
focal, hypoxic ischemic encephalopathy, tonic muzzle contractions and, 583
- grand mal, with extensor rigidity and opisthotonos in foal with hypoxic ischemic encephalopathy, 584
- Selenium deficiency, white muscle disease in foal and, 649
- Self-excoriation, epidermal damage as result of, 288
- Semen collection, safe, 453
- Seminoma, 451
- Sepsis, 587–595  
bilateral decubital ulcers associated with olecranon region in septicemic foal, 593
- clinical signs, diagnosis and treatment of, 587
- coronitis in foal with, 590
- early, hyperemic mucous membranes seen in foal with, 588
- embolic nephritis and, 588
- embolic pneumonia and, 587
- foal standing under mare and not nursing as early sign of, 587
- foal with enterocolitis and, 592
- hemorrhagic gingival margins in foal with, 589
- irititis and anterior uveitis in newborn foal with, 590
- localized, soft fluctuant subcutaneous swellings due to subcutaneous abscess formation in foal with, 592
- longitudinal ultrasonographic image of lateral aspect of elbow of neonatal septicemic foal, 595
- petechiae in ear of foal with, 591
- ultrasonographic image of ventral abdomen of foal with omphalophlebitis with urachal abscessation, 594
- Septic arthritis  
in foals, 639
- osteomyelitis with, of lateral proximal sesamoid bone, 384
- type T, lateral radiograph of tarsus of neonatal septicemic foal with, 594



- Septicemia  
 multifocal vasculitis and, 326  
 in neonatal foal due to *Actinobacillus equuli* manifested as  
 uveitis and hypopyon, 591
- Septic jugular vein thrombophlebitis, tricuspid valve  
 insufficiency and, 146
- Septic shock, muddy purple discolored mucous membranes in  
 foal with, 589
- Septic thrombophlebitis  
 of jugular vein, 161  
 complications and treatment of, 161  
 multiloculated, cavitated thrombus in jugular vein consistent  
 with, 162
- Sequestration of the calcaneus, 413
- Sequestrum formation, on dorsal cortex of third metatarsal  
 bone, 415
- SER. *See* Sporadic exertional rhabdomyolysis
- Sertoli cells  
 disruption of spermatogenesis due to cryptorchidism and,  
 449  
 tumors of, 451
- Serum scalding  
 alopecia along drainage pathway in case of proximal hind-  
 limb wound, 309  
 healing from, alopecia shown along drainage pathway,  
 308  
 horse after treatment for, 308  
 signs of, 307  
 in 10-year-old mare, 307
- Sesamoiditis  
 classification of, 383  
 type 2 of medial proximal sesamoid bone, 383  
 type 3 of medial proximal sesamoid bone, 383
- Sesamoid osteomyelitis, guarded prognosis for, 384
- Setaria* spp., verminous meningoencephalomyelitis and, 228
- “Shaker foal,” botulism and, 627
- Shear mouth, 9
- Shetland ponies, tracheal collapse in, 189
- Shirodkar-like suture, cervical tears and, 476
- Shoe boil, 270–272
- Shoe-boil roll, in case of cubital bursitis, 270
- Simulium* spp., insect bite hypersensitivity and, 288
- Sinonasal neoplasia and polyps, 181  
 clinical signs of, 181
- Sinus cyst, 180–181, 429–430  
 deformation of face over right maxillary region in horse with,  
 180  
 fluid within rostral and caudal maxillary sinuses, 430–431  
 skull radiograph revealing rounded, well-demarcated opacity  
 indicative of, 181
- Sinusitis, 179–180, 426–427  
 chronic  
 deformation of face over left maxillary region in horse with,  
 179  
 unilateral purulent nasal discharge in horse with, 179  
 clinical signs of, 428  
 lateral skull radiograph showing parallel fluid-air interfaces in  
 frontal and maxillary sinuses in horse with, 180
- Sinus rhythm, normal, resting, 150
- Sinus tachycardia, during exercise, 150
- Skeletal growth, acquired flexural contracture related to, 647
- Skeletal malformation, severe, as cause of dystocia, 482
- Skin disorders, in foals, 656–658. *See also* Integumentary  
 system, diseases of
- Skin sloughing, in horse affected with purpura hemorrhagica,  
 173
- Skin tenting, hyperelastosis cutis (Ehler Danlos syndrome)  
 and, 287
- Skull  
 anatomy of, 427  
 primary hyperparathyroidism and fibrous osteodystrophy of,  
 523  
 primary hyperparathyroidism and increased bone growth in,  
 524
- Slab fracture  
 defined, 399  
 of third carpal bone, 399–400  
 of third carpal bone, sagittal, 400
- Slipper foot, premature foal with, 598
- Small colon, diseases of, 99–102  
 antibiotic induced colitis, 102  
 idiopathic inflammatory bowel disease, 101  
 intraluminal obstruction of small colon with enteroliths,  
 fecaliths, or foreign bodies, 100  
 small colon impaction, 99
- Small colon impaction, postmortem photographs of horse with,  
 99
- Small intestinal volvulus (mesenteric torsion), 62
- Small intestines  
 diseases of, 59–77  
 functional obstruction of, 75–77  
 simple obstruction of, 59–61  
 strangulating obstruction of, 62–75  
 epiploic foramen entrapment of, 69–71  
 intussusception of, 74  
 postmortem photograph of incarceration of, through  
 gastrosplenic ligament, 73  
 simple obstruction of, 59–61
- Small intestine strangulation, diaphragmatic hernia and, 72
- Small muscular ventricular septal defects, 121
- Smegma  
 accumulation of  
 “beans” in fossa glandis, 461  
 precancerous lesions and, 451  
 clitoral, 465
- “Smooth” tear, geriatric wear and, 21
- Soft tissue swelling, of carpus, 392
- Sow mouth (underbite), 15
- “Spavin,” 410–412
- Speculum examination, failure to demonstrate cervical tears  
 and, 476
- Spermatogenesis, cryptorchidism and suppression of, 448, 449
- Sphenoid bone, fracture of, 441–422
- Spinal canal, malalignment of spinal canal at C 3-4 and  
 compression of at C 3-4, 423
- Spinal cord, subtle compression of, at C 5-6, 424–425
- Spindle cell carcinoma, invasion of left eye orbit by, 553
- Spine, 422–427  
 articular facet reaction, 424–425  
 cervical vertebral malformation instability, 425–426  
 misalignment and compression of spinal canal, 423  
 normal cervical spine, 422  
 osteomyelitis of third cervical vertebra, 426–427
- Splint exostosis, of second metacarpal bone, 406

- Splinting, for ruptured gastrocnemius muscle, 646
- Sporadic exertional rhabdomyolysis, myoglobinuria in horse affected with, 346
- Sporothrix schenckii*
- excised fungal granuloma due to, 315
  - photomicrograph of
    - in infected nodule showing multinucleated giant cells, 315
    - in infected nodule showing yeastlike organisms following fine needle aspiration, 315
  - sporotrichosis caused by, 313
- Sporotrichosis, 313–315
- diagnosis of, 314
  - excised fungal granuloma due to *Sporothrix schenckii*, 315
  - horse with cutaneolymphatic form of, 313
  - photomicrograph of *Sporothrix schenckii* in infected nodule showing multinucleated giant cells, 315
  - photomicrograph of *Sporothrix schenckii* in infected nodule showing yeastlike organisms following needle aspiration, 315
- Squamous cell carcinoma, 37, 181, 316–317
- bilateral, epiphora in horse presenting for, in nictating membranes, 317
  - on penis of horse, 451, 452
  - preputial and penile, in mature horse, 316
  - signs of, 316
  - treatment for, 468
- SR-y gene, aneuploidy and, 473
- Stallions
- kicking injury to penis of, 453
  - masturbation, hemosemen and, 449
  - semen collection and injury to, 453
  - testicular descent in, 447
  - testicular hypoplasia in, 455
- Standardbreds, osseous fragments in large proportion of, 391
- Step mouth, 8
- “Stepped tooth,” 8, 28
- Stifle and tibia, 416–421
- calcinosis circumscripta, 420
  - cranial cruciate ligament injury, 418
  - fracture of patella, 419
  - osteoarthritis of stifle joint, 417
  - osteochondritis dissecans, 416–417
  - subchondral bone cyst, 416
  - tibial stress fracture, 421
- Stifle effusion, in foals infected with *Rhodococcus equi*, 608
- Stifle joint
- normal, in 8-day-old Thoroughbred, 631
  - osteoarthritis of, 417
- Stillbirth, close to term, 502
- Stomach, diseases of, 53–59
- gastric dilatation, 53–54
  - gastric impaction, 54–55
  - gastric ulcers, 56–59
- Strangles, 182, 204–207
- causes and clinical signs of, 204
  - choke and signs of dysphagia in adult horse, 206
  - emergency temporary tracheostomy needed for horses with, 206
  - endoscopy of nasopharynx of horse with, showing purulent discharge draining from guttural pouch openings, 183
  - enlarged lymph node compressing esophagus and causing choke in adult horse, 206
  - enlarged lymph nodes compressing pharynx and impeding respiration, 206
  - enlarged retropharyngeal lymph nodes in horse affected with, 183, 205
  - enlarged submandibular lymph nodes in foal with, 205
  - enlarged submandibular lymph nodes in horse with, 204
  - healed tracheostomy site in horse recovering from, 207
  - mucopurulent nasal discharge in horses with, originating from ruptured abscessed retropharyngeal lymph nodes in medial compartment of guttural pouch, 207
- Strangulating obstruction, of small intestine, 62–75
- Stratum compactum, 480
- Stratum spongiosum, 480
- Streptococcal infection, endoscopic view of guttural pouch empyema secondary to, 182
- Streptococcus equi* infection
- brain abscess and, 212
  - myopathies associated with, 345, 345
  - purpura hemorrhagica associated with, 168, 326
- Streptococcus zooepidemicus*, 478
- brain abscess and, 212
  - pyometra and, 470
- Stress fracture, of third metacarpus, 404
- Stretching, colic and, 46, 49
- Stringhalt
- adult horse affected with, showing hyperflexion of hock joint, 240
  - clinical signs of, 240
- Strongylosis, 92
- postmortem photograph of cecum of horse with, showing cyathostomiasis, 93
  - postmortem photograph of horse with, showing presence of fibrous tags on spleen, 92
  - postmortem photograph of small intestine of horse with, showing heamomalasma illi, 92
- Strongylus edentatus*, 92
- Strongylus equinus*, 92
- Strongylus vulgaris*, 92
- verminous meningoencephalomyelitis and, 228
- Stud crud (idiopathic cannon keratosis)
- description of, 318
  - scaling and crusting with, 318
- Stylohyoid bone, unilateral thickening of, otitis media-interna (temporohyoid osteoarthropathy) and, 248
- S type infectious polyarthritis, in foal, 639
- Subchondral bone, lysis of, 396
- Subchondral bone cyst, of medial condyle, 416
- Subchondral cystic lesion
- of first phalanx, 372
  - of phalanx, 373–374
  - of second phalanx, dorsoplantar horizontal beam radiographic projection of right rear foot of 2-year-old Standardbred, 373
- Subchondral sclerosis, 380
- Subcutaneous bursa, of elbow region, inflammation of, 270
- Subepiglottic cyst
- treatment of, 187
  - in 4-year-old racehorse, 187
- Subluxated lens, aphakic crescent, cataract, in middle-aged polo pony, 542
- Sucking louse, 291
- Suckle reflex, hypoxic ischemic encephalopathy and loss of, 582

- Summer solstice, twinning rate in mares and, 497
- Sunblock, 318
- Sunburn, differential diagnoses for, 318
- Sun damage, squamous cell carcinoma and, 316
- Superior check ligament, enchondroma and enthesiophyte formation at attachment of, 402
- Supernumerary canine tooth, in aged horse, 35
- Supernumerary incisor, 13
- Suppurative endometritis, severe, 480
- Supraventricular arrhythmias, 152–153
- Suspensory ligament
  - avulsion fracture at origin of, nuclear scintigraphic images of, 405
  - periostitis at origin of, 406
- “Swiss cheese septum,” muscular ventricular septal defects and, 121
- Synovial invaginations, enlarged and abnormally shaped, 358
- ## T
- Talus
  - comminuted fracture of, 412–413
  - osteochondritis dissecans of medial trochlear ridge of, 409
- Tarsal bone ossification, grading system for, in foals, 633
- Tarsal valgus
  - angular limb deformity of, in 5-week-old quarter horse foal, 637
  - causes and evaluation of, 637
- Tarsometatarsal joint
  - mild osteoarthritis of, 410
  - severe osteoarthritis of, 411
- Tarsus, normal, in 8-day-old Thoroughbred foal, 630–631
- Tarsus and metatarsus, 407–415
  - fracture and osteomyelitis of fourth metatarsal bone, 414
  - fracture of fourth metatarsal bone, 414
  - fracture of talus, 412–413
  - osteoarthritis, 410–412
  - osteochondritis dissecans, 407–409
  - sequestration of calcaneus, 413
  - sequestrum formation on third metatarsal bone, 415
- Tarsus varus, foal with, clinical photograph, 638
- Taylorella equigenitalis*
  - contagious equine metritis and, 461
  - sampling of clitoral sinuses, 465
- Teeth, diseases of, 5–37
  - abnormal tooth wear, 36–37
  - asynchronous teeth eruption, 27
  - caudal hooks or ramps, 7
  - deviation of maxilla, 26
  - diagonal incisor malocclusion, 11
  - dysplastic teeth, 36
  - fractured tooth, 27–31
  - geriatric wear, 21
  - gingival and lingual ulceration of systemic origin, 34
  - hooks or ramps, 9
  - incisor curvature, 11–12
  - irregular incisor malocclusion, 12
  - lingual and buccal laceration and bit pressure (injury), 31–34
  - overbite (parrot mouth), 13–14
  - overlong distal portion of third incisor, 10
  - periodontal disease, diastema, enamel and cemental decay, 15–20
  - polydontia, 35
  - rostral hood, 6–7
  - shear mouth, 9
  - step mouth, 8
  - stepped tooth, 8
  - supernumerary canine tooth, 35
  - supernumerary incisor, 13
  - teeth eruption and retained deciduous teeth “cap,” 22–24
  - underbite (sow or monkey mouth), 15
  - wave malocclusion, 5–6
  - wolf teeth, 24–25
- Teeth eruption
  - retained 803 in 5 and 1/2 year-old, 22
  - in 3-year-old patient, 22
- Telogen defluxion, 319–320
  - description of, 319
  - hair coat of horse treated for, 320
  - head of old gelding with, 319
  - huge areas of hair loss in old gelding with, 319
- Temporal muscle atrophy, in 2-year-old quarter horse stallion, 346
- Temporal teratoma, 320–322
  - description of, 320
  - large draining mass at base of left ear in mature Thoroughbred mare, 320
  - surgical removal of, 321–322
- Temporohyoid osteoarthropathy, 246–251
- Tendon injuries, in foals, 646–649
- Testicles
  - cryptorchid, image illustrating testicular echo and its homogeneity, 448
  - of male pseudohermaphrodites, 473
  - normal and cryptorchid, 448
  - seminoma on, 451
- Testicular descent, species comparison between horses and cattle, 447
- Testicular hypoplasia, 455
- Testicular torsion
  - congenital, in 4-year-old paint stallion, 461
  - hydrocele and, 460–461
- Testosterone
  - disruption of spermatogenesis due to cryptorchidism and, 449
  - granulosa cell tumors and, 466
- Tetanus (lockjaw), 240–242
  - adult horses affected with
    - showing profuse frothy salivation, 242
    - showing prolapsed third eyelid, 241
    - showing stiff posture of horse with head and neck extended, 240
    - showing trismus, 241
  - clinical signs of, 240
  - recumbent adult horse unresponsive to treatment, and subsequent death of, 242
- Tetralogy of Fallot
  - right parasternal short axis image of horse with, 128
  - in 3-year-old Thoroughbred gelding, 128
- Tetraparesis, equine protozoal myeloencephalitis and, 234
- Tetraplagia, equine herpes virus 1 (EHV-1) myeloencephalitis and, 230
- Thin retina, 556
- Third carpal bone
  - fracture of, 398–400

- fracture of proximal dorsomedial margin of, 398
- with mild sclerosis of radial facet, 395
- normal, 395
- sclerosis of radial and intermediate facets of, 396
- Third cervical vertebra, osteomyelitis of, 426–427
- Third eyelid
  - prolapsed, hyperkalemic periodic paralysis and, 344
  - prolapsed, tetanus (lockjaw) and, 241
- Third eyelid squamous cell carcinoma, salmon pink friable third eyelid mass and, 552
- Third incisor, overlong distal portion of, 10
- Third metacarpus
  - lateral condylar fracture of, 389
  - stress fracture of, nuclear scintigraphic images of, 404
- Third metatarsal bone, sequestrum formation on, 415
- Third phalanx
  - articular fracture of wing of, 367–368
  - fracture of extensor process of, 365–366
  - fracture of palmar process of, 369
  - nonarticular fracture of wing of, 366–367
  - ossification of accessory cartilages of, 371
  - osteomyelitis of, 369
  - sagittal fracture of, in 10-year-old Morgan, 368
- Third phalanx rotation, two methods for assessment of, 377–378
- Thoracic wall, diseases of, 203–204
- Thorax
  - normal, lateral radiographic projection of thoracic cavity in 12-year-old Clydesdale, 602
  - radiography of, 602–603
- Thoroughbred gelding, 4-year-old, retained tooth 802 in, and extraction of same tooth, 23
- Throat latch region, marked distension of, in foal with guttural pouch tympany, 184
- Thrombophlebitis, 161–164
  - acute, horse with venous distension of head and neck secondary to, 162
  - septic, sonogram of, 161
- Thrombosis, 161–164
  - bilateral jugular, edema of head and tongue of horse affected with, 163
  - multiloculated, cavitated, in jugular vein consistent with septic thrombophlebitis, 162
  - at previous catheter site with no sign of infection, 161
- Thyroid adenoma, 518–522
  - postoperative picture of horse after removal of, 520
  - surgical removal of, 520
  - ultrasound image of, 519
  - unilateral enlargement of thyroid gland due to, 519
- Thyroid gland
  - brachial cysts attached to, found on postmortem examination, 522
  - enlarged, 518
    - close-up of, 518
  - left and right lobes of, removed at postmortem, 521
  - with two adenomas after surgical removal, 521
- Tibia
  - osteochondritis dissecans of distal intermediate ridge of, 407
  - osteochondritis dissecans of medial malleolus of, 408
- Tibial stress fracture, 421
- Tick infestation, 324–325
  - multiple hard-bodied ticks, 324
  - number of ticks easily appreciated with use of tick comb, 325
  - severe, in mature horse, 324
- Toe scuffing, equine wobbler syndrome and, 236
- Tongue, foal's, candidiasis on, 613
- Tongue control, hypoxic ischemic encephalopathy and loss of, 582
- Tongue paralysis, lead poisoning and, 243
- Tongue seal, good, in foal, 582
- Tongue tone, botulism and loss of, 627
- Tooth roots, 434, 435
  - abscesses of
    - clinical findings on, 437
    - of left first maxillary molar, 436
    - of left third mandibular premolar, 437
- Tooth wear, abnormal, 36–37
- Toxicity, nonsteroidal anti-inflammatory drugs, 95–98
- Tracheal collapse, 189
  - endoscopic view of, in miniature foal with complaint of respiratory stridor and exercise intolerance, 189
  - lateral cervical and thoracic radiograph of miniature foal with, at level of thoracic inlet, 189
- Traction diverticulum, 45
- Training at fast speeds, metacarpal periostitis and, 403
- Transition, 469
- Transitional ovary, ultrasonographic image from mare, 469
- Transluminal adhesions, 471
  - evaluation of, 471
  - preventing, 471
  - purulent discharge seen on floor behind mare, 471
- Transtympanic lavage, otitis media-interna (temporohyoid osteoarthropathy) diagnosis and, 249
- Trauma, hemosemen and, 449
- Triadan numbering system, for equine dentition, 5
- Trichophyton equinum var equi*, dermatophytosis (ringworm) and, 281
- Tricuspid valve, postmortem photograph of horse with massive proliferative lesions on three cusps of, 147
- Tricuspid valve insufficiency, 146–147
  - bacterial endocarditis and, 146
  - M-mode echocardiographic image from horse with, showing marked thickening of tricuspid valve leaflets, 147
- Trismus, 241
- Trophoblast, 463
- Truncus arteriosus, 126–127
  - cause of, 127
  - characteristics of, 126
  - cyanotic mucous membranes in foal with, 127
  - in neonatal foal, 126
  - postmortem photograph of, 127
  - right parasternal right ventricular outflow tract view, 126
- Trusses, penile injuries and use of, 455
- T type (tarsal) of infectious polyarthritis, in 4-week-old quarter horse foal, 641
- Tuber calcanei, normal tarsus and ossification of, 630
- Tubular speculum, failure to demonstrate cervical tears and, 476
- “Tucked up” appearance, grass sickness and, 109, 110
- Tumoral calcinosis, 272–273, 420
- Turner's-like syndrome, 473
- T waves, normal resting sinus rhythm, 150
- Twinning, embryonic death and abortion due to, 497–499
- Uterine pregnancies
  - poor management of and related consequences, 499

- proper management of, early pregnancy, 463
- variations in placentation in, 499
- Twin preovulatory follicles, as seen on ultrasound, 497
- Twin reduction, with use of transvaginal ultrasound guided aspiration, 498
- Type III hypersensitivity reaction, immune-mediated vasculitis and, 326
- Typhlocolitis, postmortem photograph of large colon of horse affected with, caused by cyathostomes, 93–94

## U

- Ulceration, of oral mucosa caused by sharp enamel point on distal aspect of 211 as it occludes with 311, 33
- Ulcerative dermatitis
  - crusting and erythema around anus and vulva, 657
  - description of, 656
  - epithelial loss in ear due to, 657
  - in foals, 656
- Ulcers, decubital, in foals, 656
- Ulnar carpal bone cyst, 401
- Ultrasonography, tracking estrous cycle and, 462
- Umbilical cord
  - long, as cause of abortion, 502–503
  - variation in normal length of, 503
  - yolk sac remnants on, 503
- Umbilical hematoma, cause of, 655
- Umbilical hernia, in foal, 108
- Umbilical remnant infections, 653–654
  - with purulent caseous material in umbilical arteries and apex of bladder, 653
  - sonogram of caudal part of ventral abdomen of foal, caudal to external umbilical remnant, 653
  - treatment of, 653
- Umbilical swellings, external, in foal, 654
- Umbilical vein, infected, ultrasonographic image of, in foal, 654
- Underbite (sow or monkey mouth), 15
- Urachus
  - bullous dilations of, long umbilical cord as cause of abortion and, 502
  - rupture of, in foal, and treatment of, 652
- Urethra, endoscopic image of, in horse with urethrolithiasis, 571
- Urethral rent or defect, endoscopic image of urethra in horse affected with, 570
- Urethrolith, removal of, by urethrotomy in male donkey, 574
- Urethrolithiasis, 571
  - abdominal distension in male donkey affected with urinary bladder rupture secondary to, 572
  - postmortem photograph of urethra with, showing rupture in penis, 574
  - urethral rupture in horse secondary to, 573
- Urinary incontinence, equine herpes virus 1 (EHV-1) myeloencephalitis and, 230
- Urinary system diseases, 559–577
  - acute renal failure, 560–562
  - chronic renal failure, 563–567
  - cystitis, 568
  - psychogenic polydipsia, 560
  - pyelonephritis, 567–568
  - urethral rent or defect, 570
  - urolithiasis, 571–577
  - verminous nephritis, 569
- Urinary tract disruption
  - foal straining to urinate, shown with dorsoflexion of back and tail position, 650
  - postmortem image of foal with rupture in dorsal wall of bladder and concurrent peritonitis, 650
- Urine scalding
  - alopecia, erythema, and crusting in mare due to, 311
  - equine herpes virus 1 (EHV-1) myeloencephalitis and, 230
- Urolithiasis, 571
  - clinical signs and diagnosis of, 571
  - horse affected with, showing frequent posturing to urinate and extension of penis, 571
- Urticaria, 325–326
  - conventional, in Thoroughbred, 326
  - drug eruption in horse after vaccination and severe dependent chest edema, 334, 335
  - factors related to, 325
  - multifocal wheals on mature Thoroughbred, 325
- Urticarial type of lesion, cutaneous lymphosarcoma and, 278
- Uterine hemorrhage, ultrasonographic appearance of, 493
- Uterine rupture, 489
- Uterine torsion, nonsurgical correction of, 487
- Uterine wall, characteristic thickening of, early pregnancy, 463
- Uterus, pyometra and physical drainage of, 470
- Uveal cyst, 551
- Uveitis, 543–545
  - acute, leptospirosis and, 547
  - chronic, 547
  - chronic, keratitis and, 548
  - clinical diagnosis and treatment for, 544
  - corneal edema, dorsal corneal stromal vascularization, hypopyon, and yellow exudates extending over miotic pupil in horse with, 543
  - corneal foreign body, miosis and subtle ventral hypopyon with, 544
  - corneal stromal abscess and secondary anterior uveitis in 2-year-old quarter horse mare, 545
  - equine recurrent, 546
  - intraocular hemorrhage and, 545
  - perforated corneal abscess with septic endophthalmitis and phthisis bulbi, 544

## V

- Vaccinations, cutaneous drug reactions (drug eruption) after, 334, 335
- Vaginal contusions
  - normal, 491
  - severe, and pelvic subluxation, 492
- Vaginal examination, 464
- Vaginal tears and lacerations, 494
- Valvular insufficiency, consequences of, 139
- Varicose veins, mass of, in everted portion of cranial vagina of aged mare, 464
- Vascular diseases, 161–173
  - aortic root disease, 164–168
  - purpura hemorrhagica, 168–173
  - thrombosis and thrombophlebitis, 161–164
- Vascular ring anomalies, in foal, postmortem photograph of, 46
- Vasculitis, 326–327
  - purpura hemorrhagica in which forelimbs were severely affected, 327
- Venipuncture, jugular vein thrombophlebitis secondary to, 161
- Ventral abdominal rupture, 488

Ventral abdominal wall tear, in 18-hour-old foal, 649  
 Ventral edema, in late gestation, 488  
 Ventral incisor curvature, in aged horse, 12  
 Ventral septal defect, 120–125  
 Ventricular arrhythmias, 158–160  
   in horses with aortic insufficiency, 146  
 Ventricular bigeminy, Holter recording, 159  
 Ventricular premature depolarization, 158  
 Ventricular septal defects  
   color flow Doppler image of, showing turbulent flow through septal defect, 123  
   continuous wave Doppler image of flow through, 123  
   echocardiographic image of, from right parasternal short axis view of aorta, 122  
   membranous  
     echocardiographic image of, 122  
     echocardiographic image of 2-year-old Thoroughbred gelding with history of poor racing performance, 120  
     large, echocardiographic image of Welsh pony with, 124  
     large, postmortem image of, 125  
   outflow, color flow Doppler image of, 121  
   radiographic image of pulmonary edema in pony with heart failure due to, 125  
   tetralogy of Fallot and, 128  
 Ventricular tachycardia  
   multiform, Holter recording, 160  
   paroxysmal, 160  
   sustained unifocal, 159  
 Verminous arteritis, postmortem photograph of, 167  
 Verminous meningoencephalomyelitis, 228–229  
   adult horse affected by, showing clinical signs of, 228  
   ataxia and limb weakness in horse affected with, 229  
   clinical signs of, 228  
   head-pressing in horse with, 228  
 Verminous nephritis, 569  
 Verrucous (warty) lesions, sarcoids and, 304  
 Vestibular cortex dysfunction, poll impact and, 215  
 Vet-wrap, penis wrapped in, after kicking injury, 454  
 Viral diarrhea, rotavirus and, 621  
 Viral skin diseases, 330  
 Visceral vaginal tunic, scrotal hernia and, 458  
 Vitamin D toxicity, 523  
 Vitamin E deficiency, white muscle disease in foal and, 649  
 Vitiligo  
   acquired, of unknown origin in mature quarter horse, 329  
   periocular depigmentation in young paint horse, 329  
 VPD. *See* Ventricular premature depolarization  
 VSD. *See* Ventricular septal defects  
 Vulva  
   injuries to, 475  
   poor conformation of, 474  
   ulcerative dermatitis with crusting and erythema around, 657

## W

Warts (papillomatosis), 330–332  
   congenital, on heel bulb of quarter horse foal, clipped prior to surgical removal, 332  
   congenital, on tongue of neonatal quarter horse foal before and after surgical removal, 331  
 Wave malocclusion, 5–6  
   involving 200 and 300 arcades in middle-aged patient, 5  
   300 “wave” abnormality, 6

Weanlings, chronic gastric ulceration in, 56, 56

## Weight loss

chronic renal failure and, 563  
 Cushing's syndrome and, 274  
 grass sickness and, 109, 110  
 nephrolithiasis and, 576  
 peritonitis and, 105  
 severe  
   abdominal abscessation and, 103  
   abdominal adhesions and, 104  
   in horse affected with idiopathic inflammatory bowel disease, 101

Welsh ponies, ventricular septal defects in, 124

## West Nile Virus, 225–227

adult horses affected with, 226  
 depression and, 226  
 droopy lips and, 227  
 twitching and, 227  
 wide-base stance and, 225  
 clinical signs of, 225

Wheals, with urticaria, 325

White corneal plaques, with granuloma and periocular calcification, 531

White foal, with abnormalities in ileum, caecum, and colons, 290

“White lacing,” 258

## White muscle disease

clinical signs of, 649  
 recumbent foal affected with, 649

“Wind sucking”

poor vulvar conformation and, 474  
 vulvar injuries and, 475

## Winter atopy

causes of, 333  
 early lesion in mature horse with, 333  
 horse with healed lesion and remaining alopecic region, 333

Withers skin, burns and protection of from trauma when horse rolls, 266

WNV. *See* West Nile Virus

Wobbler's syndrome, 424, 425–426

## Wolf teeth, 24–25

atypical palatal location of, in a yearling, 25  
 fragments, 25  
 very large, in 2-year-old Thoroughbred, 24

Wryneck, 482

## Wry nose, 176–178

description of, 176  
 foal born with, 176  
 malocclusion of incisors in foal with, 614  
 radiograph of maxilla of foal after surgical correction, 177–178  
 radiograph of maxilla of foal with, 177  
 in 2-year-old Thoroughbred, 26

## X

XX karyotypes, aneuploidy and, 473

## Y

Yearling, class 2 malocclusion (“parrot mouth” or “overbite”) in, 14

Yolk sac remnants on umbilical cord, 503