

# INDEX

Page references followed by f denote figures. Page references followed by t denote tables.

- Aanes' method of repair of third-degree perineal laceration, 169–174, 171f–173f
- Abdominal exploration  
in cattle, 212–215, 213f–214f  
in horses, 196–202, 197f–200f
- Abomasopexy  
left-flank, 222, 225, 226f–227f  
paramedian, 221–222, 228, 229f–230f  
right-flank, 222, 225, 228
- Abomasum  
left-side displacement (LDA), 221–222, 224, 226f, 228, 230  
right-side displacement (RDA), 221–222, 224–225, 230–231  
right torsion (RTA), 221–222, 224, 228, 230
- Acepromazine (acetylpromazine)  
maleate, for tranquilization and sedation  
in horses, 16, 17t  
in small ruminants, 16, 18t
- Acid-base imbalance, diagnosis of, 24–26
- Adhesions, equine castration  
complication, 146, 152
- Adhesives, tissue, 67
- Alexander chisel, 49f
- Alexander gouge, 49f
- Allis tissue forceps, 37, 42f
- Amputation  
of digit in cattle, 273–276, 275f  
of the penis in the horse, 166–169, 167f–169f  
preputial in cattle, 245–248, 247f  
of splint bones in the horse, 131–134, 132f–133f  
via disarticulation, 274, 276
- Analgesia  
infiltration, 7–8  
intravenous local, 14–16, 15f  
regional, 7–16  
epidural analgesia, 10–11, 11f–12f, 13t–14t  
eye, 14  
horn, 14  
inverted L block, 8, 8f  
limb, 14–16, 15f  
paravertebral block, 9–10, 9f
- Anastomosis, 231–232
- Anesthesia. *See also* Regional analgesia; *specific surgical techniques*  
general, 16–23  
induction, 19–21, 19t–21t  
maintaining, 21–23, 22t  
overview, 16, 18  
preanesthetic evaluation, 18  
premedication, 18–19  
local and regional, 7–16, 8f–9f, 11f–12f, 13t–14t, 15f  
monitoring, 23  
tranquilization and sedation, 16, 16t–18t  
for wound exploration, 95
- Anion gap, 26
- Annular ligament of the fetlock,  
transection of, 127–129, 128f
- Antibiotics  
antimicrobial impregnated suture  
materials, 65  
role in surgery, 5  
topical, 5
- Anticholinergic drugs, 19
- Antiinflammatory drug use in wound  
exploration, 95–96
- Antimicrobial therapy, in traumatic  
wounds, 95
- Antiseptic agents, 94
- Arthrotomy, fetlock joint, 134–136, 135f
- Asepsis, principles of, 4
- Aseptic surgery, 6
- Atropine, 19
- Autoclaving, 38
- Azaperone  
for cesarean section in swine, 292  
for tranquilization and sedation in  
swine, 16, 18t
- Babcock intestinal forceps, 43f
- Backhaus towel clamps, 42f
- Balfour retractor, 38, 48f
- Balling behavior of boars, 316
- Balling gun, 58f
- Bandages, stent, 88, 88f
- Bandage scissors, 36, 40f
- Bandaging skin grafts, 109
- Barnes dehorner, 280
- Base deficit/excess, 25–26, 28
- Bennett's speculum, 55f
- Benzotropine mesylate, for priapism, 146
- Bicarbonate  
administration of, 28  
concentration in acid-base  
diagnosis, 25–26
- Bistoury (tenotomy) knife, 114, 115f–116f
- Bladder marsupialization, 297
- Bloat, 11, 18, 23, 219
- Blood gases, 25, 25t, 26
- Bone-holding forceps, Kern, 48f
- Bone rasp, 48f, 50f
- Bone rongeurs, 50f
- Bovine. *See* Cattle
- Bowed tendon, 127
- Braided absorbable sutures, 62, 65

- Breeder's stitch, 159  
 Brown-Adson forceps, 42f  
 Buhner method of repair for vaginal prolapse, 265–266, 267f–268f  
 Buhner tape needle, modified, 57f  
 Bulb syringe, 51f  
 Bulls  
   castration  
     of calf, 235–236, 237f  
     unilateral, 257–258  
   corpus cavernosum penis (CCP)  
     thrombosis, 251–252  
   epididymectomy, 252, 253f  
   hematoma evacuation of penis, 241–245, 243f–244f  
   inguinal herniorrhaphy, 252, 254–257, 255f–256f  
   penile fixation, 250f, 251  
   penile translocation, 248, 249f, 251  
   preputial resection and anastomosis, 245–248, 247f  
   teaser bull preparation, 248–252, 249f–250f  
   urethrostomy, 236, 238, 239f–240f, 241  
 Bupivacaine, 7–8  
 Butorphanol, for tranquilization and sedation  
   in cattle, 16t  
   in horses, 17t  
 Calculi, urinary  
   in cattle, 238  
   in small ruminants, 296–297  
 Calf castration, 235–236, 237f  
 Camelid surgery, 303–309  
   castration of the llama, 303–304  
   cesarean section, 304–305  
   tooth removal in the llama, 305–309, 307f–308f  
 Cannula, teat, 58f  
 Capillary refill time, 24  
 Caprolactam, polymerized, 64t, 66–67  
 Carbon dioxide, measurement of, 25–26  
 Caslick's operation for pneumovagina in the mare, 156–159, 157f–158f  
 Castration  
   cattle  
     calf, 235–236, 237f  
     unilateral in bull, 257–258  
   horse, 139–152, 141f–144f  
     complications, 145–146, 152  
     cryptorchidectomy, 147f–152f, 152–156  
   llama, 303–304  
   swine, 311–312, 313f  
     cryptorchid castration of piglets, 314, 316  
 Catgut, 62  
 Catheter  
   cow, 55f  
   epidural, 11  
   mare, 56f  
   stud, 56f  
 Cattle  
   abdominal exploration, 212–215, 213f–214f  
   dehorning, 277, 279–280, 281f–282f  
   digit amputation, 273–276, 275f  
   epidural anesthesia, 10–11, 11f  
   eye enucleation, 276–277, 278f–279f  
   fluid balance evaluation, normal values for, 25t  
   gastrointestinal surgery, 211–232  
     for abomasal displacement/torsion, 221–231, 223f, 226f–227f, 229f–230f  
     abomasopexy, left-flank, 222, 225, 226f–227f  
     abomasopexy, paramedian, 221–222, 228, 229f–230f  
     abomasopexy, right-flank, 222, 225, 228  
     cecal dilatation/volvulus, 231  
     laparotomy, flank, 212–215, 213f–214f  
     laparotomy, principles of, 211  
     omentopexy, right-flank, 221–224, 223f  
     pyloro-omentopexy, 224–225  
     rumenostomy (rumen fistulation), 219–221, 220f  
     rumenotomy, 215–219, 217f–218f  
     small intestinal resection and anastomosis, 231–232  
   general anesthesia in, 16–24, 20t, 22t  
   intubation in, 20  
   regional analgesia, 8–11, 8f–9f, 11f, 13t, 14, 15f  
   rib resection and pericardiectomy, 280, 282–283, 284f–285f  
   surgical site preparation, 6  
   teat laceration repair, 283, 285–288, 287f  
   third eyelid resection, 288  
   tracheotomy, 288–289  
   tranquilization and sedation, 16, 16t  
   umbilical surgery, 289–290  
   urogenital surgery, 235–270  
     castration of calf, 235–236, 237f  
     cervicoplexy for vaginal prolapse, 266, 268–270, 269f  
     cesarean section, 258–265, 260f–264f  
     corpus cavernosum penis (CCP)  
       thrombosis, 251–252  
     epididymectomy, 252, 253f  
     hematoma evacuation of penis, 241–245, 243f–244f  
     inguinal herniorrhaphy, 252, 254–257, 255f–256f  
     penile fixation, 250f, 251  
     penile translocation, 248, 249f, 251  
     preputial resection and anastomosis in bull, 245–248, 247f  
     retention suturing of vulva, 265–266, 267f–268f  
     teaser bull preparation, 248–252, 249f–250f  
     urethrostomy, 236, 238, 239f–240f, 241  
 Cattle leader, 52f  
 CCP (corpus cavernosum penis)  
   thrombosis, 251–252  
 Cecal dilatation/volvulus, in cattle, 231  
 Cervical prolapse, 265  
 Cervicopexy for vaginal prolapse, in cattle, 266, 268–270, 269f  
 Cervix, laceration of, 170  
 Cesarean section  
   in camelids, 304–305  
   in cow, 258–265, 260f–264f  
   in mare, 160, 162–164, 163f  
   in small ruminants, 299–300  
   in swine, 317–319, 318f  
 Chains, obstetric, 56f  
 Cheek tooth repulsion, in horses, 191–196, 193f–194f  
 Chemical sterilization, 38  
 Chip fractures, fetlock joint, 134–136, 135f  
 Chisel  
   Alexander, 49f  
   U.S. Army, 49f  
 Chlorhexidine, 6, 94  
 Chloride, serum, 27  
 Chromic catgut, 62  
 Circumcision  
   in bull, 245–248, 247f  
   in horses, 164–166, 165f–166f  
 Clamp, towel, 37, 42f  
 Cleaning wounds, 94  
 Clipping, preoperative, 5–6  
 Closure  
   delayed primary, 96  
   primary closure, 96  
   secondary-intention healing, 96–97  
   using tension-relieving incisions, 103–104, 104f  
 Clubfoot, treatment of, 120, 122  
 Coffin (distal interphalangeal) joint, flexure deformities of, 120, 122, 126–127  
 Cold (chemical) sterilization, 38  
 Collagen, 62  
 Connell suture, 85–86, 85f  
 Continuous horizontal mattress suture, 79, 79f  
 Continuous Lambert suture, 84–85, 84f  
 Continuous lock stitch (Ford interlocking suture), 83, 83f  
 Contrast agents, 95  
 Corneal reflex, 23  
 Cornual block, 14

- Corpus cavernosum penis (CCP)  
thrombosis, 251–252
- Cotton, 64t, 66
- Counterirritants, 113
- Crile forceps, 43f
- Cruciate (cross mattress) suture, 81, 82f
- Cryptorchidectomy  
in horses, 147f–152f, 152–156  
inguinal approach, 147f–149f, 153–154  
laparoscopic, 152f, 155–156  
parainguinal approach, 150f–151f, 154  
standing flank approach, 151f, 154  
in swine, 314, 316
- Curette, 49f
- Cushing suture, 85, 85f
- Cyanoacrylate, 67
- Cystostomy, tube, 296–297
- Dacron, 67
- DDSP (dorsal displacement of the soft palate), in horse, 184
- Dead space, 96–98
- Debridement, 95, 97
- Deep digital flexor accessory ligament, desmotomy of, 119–122, 121f
- Deep digital flexor tenotomy, 126–127
- Dehorner  
Barnes-type, 52f  
gouge, 53f  
keystone, 53f
- Dehorning  
cosmetic in cattle, 277, 279–280, 281f–282f  
of mature goat, 293–295, 294f  
regional analgesia for, 14
- Dehydration, 23–24, 24t
- Delayed primary closure, 96
- Dental elevator, 50f
- Dental float, 53f
- Dental formula  
horse, 191  
llama, 305, 305f
- Dental punch, 53f, 192, 193f–194f, 195–196
- Dental surgery  
repulsion of cheek teeth in horses, 191–196, 193f–194f  
tooth removal in the llama, 305–309, 307f–308f
- Desflurane, 21
- Desmitis  
deep digital flexor accessory ligament, 119  
suspensory, 124, 131
- Desmotomy, in horses  
annular ligament, 127–129, 128f  
inferior (distal) check ligament, 119–122, 121f  
medial patellar, 113–114, 115f–116f  
superior check ligament, 122–124, 123f
- Detomidine  
for anesthetic maintenance, 22t  
epidural use of, 10–11, 13t–14t  
for tranquilization and sedation in cattle, 16t  
in horses, 16, 17t
- Dexon, 63t, 65
- Diazepam (Valium)  
for anesthetic induction, in cattle and small ruminants, 20t  
for convulsion control, 8  
for tranquilization and sedation in small ruminants, 16  
in swine, 18t
- Digit amputation in cattle, 273–276, 275f  
via disarticulation, 274, 276
- Disarticulation, digit amputation  
via, 274, 276
- Disbudding young goat, 295–296
- Distal (inferior) check ligament desmotomy, 119–122, 121f
- Dobutamine, for hypotension, 22
- Dopamine, for hypotension, 22
- Dorsal displacement of the soft palate (DDSP), in horse, 184
- Dose syringe, 59f
- Double-layer inverting suture patterns, 87–88
- Doyen (Gillmann) compression forceps, 43f
- Drains, 97–101  
active, 99, 100f–101f  
fenestrated tube, 99, 100f  
for hygromas, 98, 98f  
indications, 97  
passive, 97–98  
Penrose, 98, 98f  
for peritoneal drainage, 99, 101f  
sump-Penrose, 99, 101f
- Draping, 4, 6
- Dressing, tie over, 88, 88f
- Droperidol, for tranquilization and sedation in swine, 16, 18t
- Dystocia  
in camelids, 304–305  
in cow, 258  
in mare, 160, 162–164, 163f  
in small ruminants, 299–300  
in sow, 317–319
- Écraseur, 59f
- Ectropion, Z-plasty for relief of  
acquired, 105, 106f
- Edema, in equine castration, 145
- Electrolyte abnormalities, diagnosis  
of, 26–27
- Elevator, dental, 50f
- Elliptical excision undermining for repair  
of an elongated defect, 103, 104f
- Emasculator, 52f
- Empyema, guttural pouch, 186, 189
- Endotracheal intubation, 18  
in cattle, 20  
in swine, 20–21
- Endotracheal tube, 59f
- Enucleation of the eye, in cattle, 276–277, 278f–279f
- Ephedrine, for hypotension, 22
- Epididymectomy, 252, 253f
- Epidural analgesia, 10–11, 11f–12f, 13t–14t
- Epineural capping, in palmar digital neurectomy, 129
- Epithelialization, 93
- Equine. *See* Horses
- Equine molar forceps, 54f
- Ethylene oxide, for sterilization, 38
- Eventration, post-castration in horse, 145–146
- Excision, sharp of wounds, 95
- Eye  
enucleation in cattle, 276–277, 278f–279f  
regional analgesia of, 14  
third eyelid resection, 288
- Eyeball rotation, for anesthetic monitoring in cattle, 23
- Feed, withholding prior to surgery, 18
- Femoral nerve paresis, 22
- Fenestrated tube drain, 99, 100f
- Fetlock (metacarpophalangeal) joint  
annular ligament transection, 127–129, 128f  
arthrotomy, 134–136, 135f  
flexure deformities of, 120, 122, 124–126
- Fetotomy, 162
- Finochietto rib spreader, 38, 48f
- Fistulation, rumenal, 219–221, 220f
- Flank laparotomy, in cattle, 212–215, 213f–214f
- Flexure deformity, treatment of  
deep digital flexor tenotomy, 126–127  
inferior check ligament desmotomy, 119–122, 121f  
superficial digital flexor tenotomy, 124–126, 125f  
superior check ligament desmotomy, 122–124, 123f
- Float, dental, 53f
- Fluid balance, normal values used in the evaluation of, 25t
- Fluid therapy, 23–29  
in anesthetized patient in elective surgery, 27  
composition of fluids for, 28t  
in compromised patient  
according to requirements, 27–29  
without preliminary data, 29

- Fluid volume deficits  
 diagnosis of, 23–24, 24t  
 treatment of, 27–29
- Foals  
 inducing anesthesia in, 19  
 preanesthetic agents, contraindication for, 18  
 umbilical herniorrhaphy, 207–210, 208f–209f
- Foerster sponge forceps, 45f
- Foley catheter, 296–297
- Forceps  
 Allis tissue, 37, 42f  
 Babcock intestinal, 43f  
 Brown-Adson, 42f  
 Crile, 43f  
 Doyen (Gillmann) compression, 43f  
 equine molar, 54f  
 Foerster sponge, 45f  
 grasping, 37  
 Halsted mosquito, 37, 45f  
 hemostatic, 37, 37f, 43f, 45f  
 Kelly, 37, 44f  
 Kern bone-holding, 48f  
 Michel clip, 43f  
 Mixer, 45f  
 Ochsner, 46f  
 Rochester-Carmalt, 45f  
 sponge, 37  
 thumb, 37, 37f  
 tissue, 37, 42f  
 use of, 37, 37f  
 uterine biopsy, 56f  
 Vulsellum, 37, 45f
- Ford interlocking suture, 83, 83f
- Foreign body, in traumatic wound, 94–95
- Foreign-body reaction, 62
- 4-S modified Roeder knot, 73, 73f
- Galt trephine, 53f
- Gambie suture, 87, 88f
- Gas sterilization, 38
- Gastrointestinal surgery  
 in cattle, 211–232  
 in horse, 196–210
- Gelpi retractor, 38, 47f
- General anesthesia, 16–23  
 induction, 19–21, 19t–21t  
 maintaining, 21–23, 22t  
 overview, 16, 18  
 preanesthetic evaluation, 18  
 premedication, 18–19
- Gigli wire and handles, 51f
- Gillmann (Doyen) compression forceps, 43f
- GKX. *See* Guaifenesin, ketamine, and xylazine
- Gloves, surgical, 4, 5
- Glycomer 631 (Biosyn), 63t, 65
- Glycopyrrolate, 19
- Goats  
 cesarean section, 299–300  
 dehorning of mature, 293–295, 294f  
 disbudding young, 295–296  
 general anesthesia in, 18–23, 20t, 22t  
 mastectomy, 297–298  
 obstructive urolithiasis, 296–297  
 regional analgesia in, 8–11, 13t, 14  
 tranquilization and sedation, 16, 18t  
 urethral appendage removal, 296–297  
 vasectomy, 298–299
- Gouge, 49f
- Grafting. *See* Skin grafting
- Gram stain, 6
- Granny knot, 71, 72f
- Granulation tissue, 94, 96–97
- Grasping forceps, 37
- Guaifenesin  
 for anesthetic induction  
 in cattle and small ruminants, 19–20, 20t  
 in horses, 19, 19t  
 for anesthetic maintenance, 22t
- Guaifenesin, ketamine, and xylazine (GKX), 19–20  
 for anesthetic induction in cattle and small ruminants, 20t  
 for anesthetic induction in swine, 21t
- Gut, surgical, 62, 63t
- Guttural pouches, surgical entry and drainage of, 186–189, 187f–188f
- Hair, presurgical removal, 5–6
- Halothane, 23
- Halsted mosquito forceps, 37, 45f
- Harleco CO<sub>2</sub> apparatus, 25, 26
- HCG (human chorionic gonadotropin), 146
- Healing, 96–97  
 delayed primary, 96  
 moist wound, 96–97  
 primary, 96  
 secondary-intention, 96–97
- Heel pain  
 inferior (distal) check ligament desmotomy, 119–122, 121f  
 palmar digital neurectomy for, 129
- Hematoma evacuation of the bovine penis, 241–245, 243f–244f
- Hemorrhage, in equine castration, 145
- Hemostatic forceps, 37, 37f, 43f, 45f
- Herniation, in equine castration complication, 145–146
- Herniorrhaphy  
 inguinal in bull, 252, 254–257, 255f–256f  
 inguinal in piglet, 312, 314, 315f  
 umbilical in foal, 207–210, 208f–209f
- H-flap, sliding, 105, 105f
- Hibbs gouge, 49f
- Hobday's roaring bur, 56f
- Hollow organs, suturing patterns for closure of, 83–88
- Hoof groover, Hughes, 55f
- Hoof knife, German, 55f
- Hoof nippers, 54f
- Horn  
 dehorning in cattle, 277, 279–280, 281f–282f  
 dehorning in goats, 293–295, 294f  
 regional anesthesia, 14
- Horses  
 abdominal exploration, 196–202, 197f–200f  
 check teeth, repulsion of, 191–196, 193f–194f  
 epidural anesthesia, 10–11, 12f  
 fluid balance evaluation, normal values for, 25t  
 gastrointestinal surgery, 196–210  
 laparotomy, standing flank, 202–206, 203f–206f  
 laparotomy, ventral midline, 196–202, 197f–200f  
 umbilical herniorrhaphy in foals, 207–210, 208f–209f  
 general anesthesia, 16–23, 22t  
 orthopedic surgery, 113–136  
 amputation of splint bones, 131–134, 132f–133f  
 arthrotomy of fetlock joint, 134–136, 135f  
 deep digital flexor tenotomy, 126–127  
 inferior (distal) check ligament desmotomy, 119–122, 121f  
 lateral digital extensor tenotomy, 114, 116–119, 117f–118f  
 medial patellar desmotomy, 113–114, 115f–116f  
 palmar digital neurectomy, 129–131, 130f  
 sectioning of palmar (plantar) annular ligament of the fetlock, 127–129, 128f  
 superficial digital flexor tenotomy, 124–126, 125f  
 superior check ligament desmotomy, 122–124, 123f  
 preoperative evaluation, 3  
 regional analgesia, 7–11, 12f, 13t  
 skin staple use in, 67  
 surgical site preparation, 5  
 tetanus prophylaxis, 5  
 tranquilization and sedation, 16, 17t  
 upper respiratory tract surgery, 177–189  
 guttural pouch surgery/  
 drainage, 186–189, 187f–188f

- laryngotomy, laryngeal  
 ventriculectomy, and  
 ventriculocordectomy, 179–183,  
 181f–183f  
 soft palate, partial resection,  
 183–184, 185f  
 tracheostomy, 177–179, 178f  
 urogenital surgery, 139–174  
 Aanes' method of repair of third-  
 degree perineal laceration,  
 169–174, 171f–173f  
 amputation of penis, 166–169,  
 167f–169f  
 Caslick's operation for  
 pneumovagina, 156–159,  
 157f–158f  
 castration, 139–152, 141f–144f  
 cesarean section, 160, 162–164,  
 163f  
 circumcision, 164–166, 165f–166f  
 cryptorchidectomy, 147f–152f,  
 152–156  
 urethroplasty, 159–160, 161f–162f  
 wound exploration in, 95  
 wound healing in, 94  
 Human chorionic gonadotropin  
 (HCG), 146  
 Hydrogen peroxide, 38, 94  
 Hygromas, use of Penrose drains to  
 treat, 98, 98f  
 Hyovertebrotomy approach, to guttural  
 pouch, 186–189, 187f–188f  
 Hypercapnia, 23  
 Hypercarbia, 23  
 Hyperkalemia, 27  
 Hypernatremia, 26, 28  
 Hyperthermia, malignant, 21  
 Hypokalemia, 27, 28  
 Hypotension, during anesthesia, 22  
 Hypovolemia, 24  
 Hypoxemia, 23  
 Incisions, tension-relieving, 103–104,  
 104f  
 Infection  
 antibiotic use, 5  
 antimicrobial impregnated suture  
 materials, 65  
 in castration, 146  
 postoperative, managing, 6  
 prevention, 4  
 skin staple use and, 67  
 Inferior (distal) check ligament  
 desmotomy, 119–122, 121f  
 Infiltration analgesia, 7–8  
 Inguinal herniorrhaphy  
 in bull, 252, 254–257, 255f–256f  
 in piglet, 312, 314, 315f  
 Inhalation anesthesia  
 for anesthetic induction in foals, 19  
 for anesthetic maintenance, 21–23, 22t  
 Instruments, 33–59. *See also specific  
 instruments*  
 forceps, 37, 37f, 42f–46f  
 general surgery pack, 38  
 miscellaneous, 48f–59f  
 needle holders, 36–37, 36f, 39f–40f  
 photo gallery of, 39f–59f  
 preparation of, 38  
 retractors, 37–38, 47f–48f  
 scalpel, 33, 34f–35f, 35, 39f  
 scissors, 35–36, 35f, 40f–41f  
 towel clamp, 37, 42f  
 use of, 33–38  
 Insurance, 4  
 Interrupted horizontal mattress  
 suture, 79, 79f  
 Interrupted Lembert suture, 84, 84f  
 Intravenous limb anesthesia of  
 ruminants, 14–16, 15f  
 Intubation, endotracheal, 18  
 in cattle, 20  
 in swine, 20–21  
 Intussusception, 232  
 Inverted L block, 8, 8f  
 Iowa pig snare, 52f  
 Isoflurane, 21, 22t  
 Jaw tone, 23  
 Kelly forceps, 37, 44f  
 Kern bone-holding forceps, 48f  
 Ketamine  
 for anesthetic induction  
 in cattle and small ruminants, 20,  
 20t  
 in horses, 19, 19t  
 in swine, 20, 21t  
 for anesthetic maintenance, 21,  
 22t  
 Ketamine/midazolam, for tranquilization  
 and sedation  
 in small ruminants, 18t  
 in swine, 17t  
 Knots  
 granny, 71, 72f  
 Miller's, 72f, 73, 76  
 principles of tying, 71–73  
 slipknot (two half-hitches), 71, 72f  
 4-S modified Roeder, 73, 73f  
 square, 71, 72f  
 surgeon's, 72f, 73  
 tying with needle holder, 73, 74f  
 Laceration  
 perineal, 169–174, 171f–173f  
 teat, 283, 285–288, 287f  
 Lactate, as bicarbonate source, 28  
 Lactic acidosis, 26  
 Lactomer 9-1 (Polysorb-Tyco), 63t, 65  
 Laminitis, deep digital flexor tenotomy  
 for, 126–127  
 Laparoscopy, for cryptorchidectomy in  
 horses, 152f, 155–156  
 Laparotomy  
 in cattle  
 flank, 212–215, 213f–214f  
 principles, 211  
 in horse  
 standing flank, 202–206, 203f–206f  
 ventral midline, 196–202, 197f–200f  
 Laryngeal spasm, 20  
 Laryngeal ventriculectomy, in  
 horse, 179–183, 181f–183f  
 Laryngotomy, in horse, 179–183,  
 181f–183f  
 Laser ventriculectomy/  
 ventriculocordectomy, 183, 183f  
 Lateral digital extensor tenotomy, 114,  
 116–119, 117f–118f  
 Lavage, for wound cleaning, 94  
 Leader, cattle, 52f  
 Lembert suture  
 continuous, 84–85, 84f  
 interrupted, 84, 84f  
 Lichty teat knife, 57f  
 Lidocaine hydrochloride  
 convulsions in sheep from, 8  
 for epidural analgesia, 10–11, 13t–14t  
 with epinephrine, 14  
 for local and regional analgesia, 7–8,  
 10, 14  
 Ligatures, 73, 75f, 76  
 Limb anesthesia, intravenous, 14–16, 15f  
 Line block, 8, 14  
 Lister scissors, 40f  
 Littauer stitch scissors, 40f  
 Llama, 303–309  
 castration of, 303–304  
 cesarean section, 304–305  
 dental formula, 305, 305f  
 tooth removal, 305–309, 307f–308f  
 Locking-loop tendon suture, 89, 89f, 91  
 Lock stitch, continuous, 83, 83f  
 Malignant hyperthermia, 21  
 Mallet, 49f  
 Mare  
 Aanes' method of repair of third-  
 degree perineal laceration,  
 169–174, 171f–173f  
 Caslick's operation for  
 pneumovagina, 156–159,  
 157f–158f  
 cesarean section, 160, 162–164, 163f  
 urethroplasty, 159–160, 161f–162f  
 Masculine behavior, persistent after  
 castration, 146  
 Mastectomy, in small  
 ruminants, 297–298  
 Mattress suture  
 continuous horizontal, 79, 79f  
 cross, 81, 82f



- Mattress suture (*cont'd*)  
 interrupted horizontal, 79, 79f  
 vertical, 79, 80f, 81, 105
- Maxillary flap sinusotomy for tooth repulsion, 194f, 195
- Mayo-Hegar needle holder, 39f
- Mayo scissors, 35, 40f
- McPherson speculum, 53f
- Medetomidine  
 for anesthetic maintenance, 22t  
 epidural use of, 10, 13t  
 for tranquilization and sedation  
 in cattle, 16t  
 in horses, 16, 17t
- Medial patellar desmotomy, in the horse, 113–114, 115f–116f
- Memory, suture, 66
- Mepivacaine hydrochloride  
 for epidural analgesia, 13t  
 for local and regional analgesia, 7, 14
- Mesh expansion technique, 103–104, 104f
- Metabolic acidosis, 25–28
- Metabolic alkalosis, 25–29
- Metacarpal bones, amputation of, 131–134, 132f–133f
- Metatarsal bones, amputation of, 131–134, 132f–133f
- Metzenbaum scissors, 35, 41f
- Michel clip, 43f
- Michel trephine, 51f
- Miller's knot, 72f, 73, 76
- Minchev technique, 265
- Mixter forceps, 45f
- Moist wound healing, 96–97
- Molar cutter, 54f
- Molar forceps, equine, 54f
- Molars, repulsion in horses, 191–196, 193f–194f
- Monofilament sutures, absorbable, 65
- Morphine  
 epidural use of, 11, 13t  
 for tranquilization and sedation in horses, 17t
- Mouth gag, canine, 54f
- Mouth wedge, Bayer, 53f
- Myopathy, postanesthesia, 22
- Navicular disease, palmar digital neurectomy for, 129
- Near-far-far-near suture, 81, 81f, 105
- Needle holder  
 knot tying with, 73, 74f  
 Mayo-Hegar, 39f  
 Olsen-Hegar, 40f  
 use of, 36, 36f
- Needle(s), 67–69  
 for hollow-organ surgery, 83  
 swaged, 68, 68f  
 taper cut, 68, 69f  
 types, 67–69, 68f, 69f
- Nerve blocks, 7, 14, 16. *See also specific techniques*
- Neurectomy, palmar digital, 129–131, 130f
- Neuroma, formation with palmar digital neurectomy, 131
- Newberry knife, 236
- Nippers, 54f
- Nylon (Dermalon, Ethilon, Supramid), 64t, 66
- Obstetric chains, 56f
- Obstructive urolithiasis, in small ruminants, 296–297
- Ochsner forceps, 46f
- Ocular reflexes, 23
- Olsen-Hegar needle holder, 40f
- Omentopexy, right-flank, 221–224, 223f
- Opioids, 16, 17t
- Orthopedic surgery, equine, 113–136
- Osteotome set, U.S. Army, 48f
- Ovariohysterectomy in the pot-bellied pig, 319
- Oxygen supplementation, 20, 23
- Packed cell volume (PCV), 24, 25t, 27
- Palate, partial resection of soft in horses, 183–184, 185f
- Palmar digital neurectomy, 129–131, 130f
- Palmar/plantar annular ligament transection, 127–129, 128f
- Palpebral reflexes, 23
- Paralumbar block, 10
- Paramedian abomasopexy, 221–222, 228, 229f–230f
- Paraphimosis, 146, 252
- Paravertebral block, 9–10, 9f
- Parker-Kerr oversew, 86, 86f
- Patella, medial desmotomy of, 113–114, 115f–116f
- PDS (polydioxanone), 63t, 65
- Penile paralysis, 146
- Penis  
 cattle  
 corpus cavernosum penis (CCP) thrombosis, 251–252  
 hematoma evacuation, 241–245, 243f–244f  
 penile fixation, 250f, 251  
 penile translocation, 248, 249f, 251  
 preputial resection and anastomosis in bull, 245–248, 247f  
 urethrostomy, 236, 238, 239f–240f, 241  
 horse  
 amputation, 166–169, 167f–169f  
 circumcision, 164–166, 165f–166f
- Pennyback rongeurs, 50f
- Penrose drain, 98, 98f
- Pericardectomy in cattle, 280, 282–283, 284f–285f
- Perineal laceration, Aanes' method of repair, 169–174, 171f–173f
- Periodontal probe, 50f
- Peritoneal drainage, 99, 101f
- Peritonitis, 83, 218–219, 270
- Peroneal nerve paresis, 22
- Peterson block, 14
- PH, blood, 25
- Physical examination, preoperative, 3
- Pigs. *See* Swine
- Pig snare, 52f
- Pneumovagina, Caslick's operation for, 156–159, 157f–158f
- Poliglecaprone 25 (Monocryl), 64t, 65
- Polydioxanone (PDS), 63t, 65
- Polyesters, 64t, 67
- Polyethylene, 64t, 66
- Polyglactin 910 (Vicryl-Ethicon), 63t, 65
- Polyglycolic acid (Dexon-Tyco), 63t, 65
- Polyglyconate (Maxon), 63t, 65
- Polyglytone 6211 (Caprosyn), 64t, 65
- Polymerized caprolactam (Supramid, Vetafil), 64t, 66–67
- Polypropylene (Prolene and Surgilene), 64t, 66
- Polysorb, 63t, 65
- Potassium  
 abnormalities, 27  
 administration of, 28–29
- Pot-bellied pig, ovariohysterectomy in, 319
- Povidone-iodine, solution/scrub, 6, 94
- Premedication, 18–19
- Preoperative evaluation, 3–4
- Preputial diverticulum ablation, in swine, 316, 317f
- Preputial resection and anastomosis in bull, 245–248, 247f
- Presurgical considerations, 3–6  
 antibiotic use, 5  
 infection, postoperative, 6  
 infection prevention, 4  
 preoperative evaluation, 3–4  
 preoperative planning, 5  
 surgical classification, 4–5, 4t  
 surgical judgment, 4  
 surgical site preparation, 5–6
- Priapism, 146
- Primary closure, 96
- Probe, periodontal, 50f
- Propofol, 20–21, 20t
- Proud flesh, 97
- Proximal sesamoid bones, chip fracture, 134–136, 135f
- Pupillary dilation, 23
- Purse-string suture, 86, 87f
- Putti double-ended bone rasp, 48f
- Pyloro-omentopexy, 224–225
- Reconstructive surgery. *See* Wounds, reconstructive surgery of
- Record keeping, 3–4

- Rectal prolapse  
 resection in small ruminants, 300–301, 301f  
 ring placement in swine, 319–320
- Reefing, 164–166, 165f–166f, 245–246
- Referral, 4
- Regional analgesia, 7–16  
 epidural analgesia, 10–11, 11f–12f, 13t–14t  
 eye, 14  
 horn, 14  
 inverted L block, 8, 8f  
 limb, 14–16, 15f  
 paravertebral block, 9–10, 9f
- Regurgitation, 18, 20
- Reimer emasculator, 52f
- Respiratory acidosis, 25
- Respiratory alkalosis, 25
- Respiratory tract surgery in the horse, 177–189
- Retention suturing of the bovine vulva, 265–266, 267f–268f
- Reticulum, exploration of, 215–219, 217f–218f
- Retractor  
 Balfour, 38, 48f  
 Finochietto rib spreader, 38, 48f  
 Gelpi, 38, 47f  
 malleable, 37, 47f  
 Senn, 37, 47f  
 United States Army, 37, 47f  
 use of, 37–38  
 Volkmann, 37, 47f  
 Weitlaner, 38, 47f
- Retrolbulbar (four-point) block, 14
- Rib resection, in cattle, 280, 282–283, 284f–285f
- Rib spreader, Finochietto, 38, 48f
- Richter's hernia, 207
- Roaring, 179
- Roaring bur  
 French-model, 57f  
 Hobday's, 56f  
 strawberry, 57f
- Rochester-Carmalt forceps, 45f
- Roeder knot, 4-S modified, 73, 73f
- Roeder towel clamps, 42f
- Romifidine  
 for anesthetic maintenance, 22t  
 for tranquilization and sedation in horses, 16, 17t
- Rongeurs, 50f
- Rumenostomy (rumen fistulation), 219–221, 220f
- Rumenotomy, 215–219, 217f–218f
- Rumenotomy board, 56f
- Savage technique, 91, 91f
- Scalpel, 33, 34f, 39f
- Scalpel blade, 33, 34f, 35, 35f, 39f
- Scar tissue, removal of excessive, 105, 107f
- Scissors  
 bandage, 36, 40f  
 Lister, 40f  
 Littauer stitch, 40f  
 Mayo, 35, 40f  
 Metzenbaum, 35, 41f  
 operating, 41f  
 use of, 35, 35f  
 wire-cutting, 41f
- Scrubbing, surgical site preparation, 6
- Secondary-intention healing, 96–97
- Sedation  
 in cattle, 16, 16t  
 in horses, 16, 17t  
 purposes for, 16  
 in small ruminants, 16, 18t  
 in swine, 16, 18t
- Senn retractor, 37, 47f
- Serra emasculator, 52f
- Sesamoid chip fracture, 134–136, 135f
- Sevoflurane, 21
- Sheep. *See also* Small ruminant surgery  
 convulsion with lidocaine, 8  
 fluid balance evaluation, normal values for, 25t  
 general anesthesia in, 18–23, 20t, 22t  
 regional analgesia in, 8–11, 13t  
 surgical site preparation, 6  
 tranquilization and sedation, 16, 18t
- Shirley wound drain, 99
- Silastic drains, 97–98
- Silk, 64t, 65–66
- Simple continuous suture, 77–78, 78f, 87
- Simple interrupted suture, 77, 78f, 87, 87f
- Sinusotomy, maxillary flap  
 sinusotomy, 194f, 195
- Skin elasticity, estimating, 23
- Skin grafting, 105–111  
 bandaging, 109  
 overview, 105, 107  
 pinch-skin, 107, 108f, 109  
 postgrafting, 109  
 punch-skin, 109, 110f  
 random pattern flaps, 109, 111  
 recipient bed preparation, 107  
 tunnel grafting, 109, 111f
- Skin punch, Keyes, 50f
- Skin staples, 67
- Sliding H-flap, 105, 105f
- Slipknot (two half-hitches), 71, 72f
- Small intestinal resection and anastomosis, 231–232
- Small ruminants. *See also* Goats; Sheep  
 epidural anesthesia, 13t  
 surgery, 293–301  
 cesarean section, 299–300  
 dehorning of mature goat, 293–295, 294f  
 disbudding young goat, 295–296  
 mastectomy, 297–298  
 obstructive urolithiasis, 296–297  
 rectal prolapse resection, 300–301, 301f  
 vasectomy, 298–299  
 tranquilization and sedation, 16, 18t
- Sodium, serum, 24
- Sodium ion abnormalities, 26–27
- Soft palate, partial resection in horses, 183–184, 185f
- Sow, cesarean section in the, 317–319, 318f
- Speculum  
 Bennett's, 55f  
 heavy-swine mouth, 53f  
 McPherson, 53f  
 thoroughbred vaginal, 54f
- Splint bones, amputation of, 131–134, 132f–133f
- Sponge forceps, 37
- Square knot, 71, 72f
- Stainless steel, 64t, 67
- Standing flank laparotomy, in horse, 202–206, 203f–206f
- Stent bandages, 88, 88f
- Sterilization of instruments, 38
- Still-Luer bone rongeurs, 50f
- Stitch scissors, Littauer, 40f
- Stomach pump, 59f
- Strawberry roaring bur, 57f
- Stringhalt, 114, 116, 119
- Strong ion gap, 26
- Subcuticular suture, 81, 82f
- Suction tip, Yankauer suction, 51f
- Sump-Penrose drain combination, 99, 101f
- Superficial digital flexor tendinitis, treatment of, 122, 124
- Superficial digital flexor tenotomy, 124–126, 125f
- Superior check ligament  
 desmotomy, 122–124, 123f
- Surgeon's knot, 72f, 73
- Surgery pack, general, 38
- Surgical classifications, 4–5, 4t
- Surgical conscience, 5
- Surgical gut, 62, 63t
- Surgical instruments. *See* Instruments
- Surgical judgment, 4
- Surgical preparation. *See specific surgical techniques*
- Surgical site, preparation of, 5–6
- Suspensory desmitis, 124, 131
- Suspensory ligament, 134–136, 135f
- Suture materials, 61–67  
 absorbable, 62, 65  
 braided, 62, 65  
 collagen, 62  
 monofilament, 65  
 surgical gut (catgut), 62, 63t  
 antimicrobial impregnated, 65  
 Buhner perivaginal tape, 265–266, 267f–268f  
 clinical application, 61–62

- Suture materials, (*cont'd*)  
 common, table of, 63t–64t  
 ideal, properties of, 61  
 nonabsorbable, 65–67  
 cotton, 64t, 66  
 nylon, 64t, 66  
 polyesters, 64t, 67  
 polymerized caprolactam, 64t, 66–67  
 polypropylene and polyethylene, 64t, 66  
 silk, 64t, 65–66  
 skin staples, 67  
 stainless steel, 64t, 67  
 in traumatic wounds, 96
- Suture patterns, 77–91. *See also specific techniques*  
 basic patterns, 77–83  
 continuous horizontal mattress, 79, 79f  
 continuous lock stitch (Ford interlocking), 83, 83f  
 cruciate (cross mattress), 81, 82f  
 interrupted horizontal mattress, 79, 79f  
 near-far-far-near, 81, 81f, 105  
 simple continuous, 77–78, 78f  
 simple interrupted, 77, 78f  
 subcuticular, 81, 82f  
 vertical mattress, 79, 80f, 81, 105  
 Buhner's method, 265–266, 267f–268f  
 buried purse-string, 265–266, 267f–268f  
 for closure of hollow organs, 83–88  
 Connell, 85–86, 85f  
 continuous Lembert, 84–85, 84f  
 Cushing, 84, 85f  
 double-layer inverting, 87–88  
 Gambee, 87, 88f  
 interrupted Lembert, 84, 84f  
 Parker-Kerr oversew, 86, 86f  
 purse-string, 86, 87f  
 simple continuous, 87  
 simple interrupted, 87, 87f  
 for severed tendons, 88–91  
 locking-loop tendon suture, 89, 89f, 91  
 Savage technique, 91, 91f  
 three-loop pulley pattern, 90f, 91  
 stent bandage (tie-over dressing), 88, 88f  
 Utrecht method of uterine closure, 259, 262f–264f
- Suturing traumatic wounds, 96
- Swine  
 castration of the piglet, 311–312, 313f  
 cesarean section, 317–319, 318f  
 cryptorchid castration of piglets, 314, 316  
 epidural anesthesia, 10–11, 14t  
 fluid balance evaluation, normal values for, 25t  
 general anesthesia in, 18–23, 21t, 22t  
 inguinal herniorrhaphy the piglet, 312, 314, 315f  
 intubation, 20–21  
 ovariectomy in the pot-bellied pig, 319  
 premedication in, 19  
 preputial diverticulum ablation, 316, 317f  
 rectal prolapse ring placement, 319–320  
 surgical site preparation, 6  
 tranquilization and sedation, 16, 17t  
 Synovitis, digital sheath, 127
- Syringe  
 bulb, 51f  
 dose, 59f
- Tail docking, rectal prolapse and, 300
- Tape needle, modified Buhner, 57f
- Teaser bull preparation, 248–252, 249f–250f  
 anesthesia and surgical preparation, 248  
 complications and prognosis, 252  
 corpus cavernosum penis (CCP) thrombosis, 251–252  
 epididymectomy, 252, 253f  
 indications, 248  
 penile fixation, 250f, 251  
 penile translocation, 248, 249f, 251  
 postoperative management, 252
- Teat bistoury, Udall, 57f
- Teat cannula, 58f
- Teat curette, Cornell, 57f
- Teat knife, 57f
- Teat lacerations, repair of, 283, 285–288, 287f
- Teat splitter, 58f
- Teat tube, 286
- Teat-tumor extractor, Hugs, 57f
- Telazol. *See* Tiletamine/zolazepam (Telazol), for anesthetic induction
- Tendinitis  
 in digital sheath, 127  
 superficial digital flexor, 122, 124
- Tendons, suture patterns for severed, 88–91, 89f–91f
- Tenotomy  
 deep digital flexor, 126–127  
 lateral digital extensor, 114, 116–119, 117f–118f  
 superficial digital flexor, 124–126, 125f
- Tenotomy knife, 50f
- Tension-relieving skin incisions, 103–104, 104f
- Tension suture  
 interrupted horizontal mattress, 79, 79f  
 near-far-far-near, 81, 81f, 105  
 vertical mattress, 79, 80f, 81, 105
- Testicle  
 cattle  
 calf castration, 235–236, 237f  
 unilateral castration in bull, 257–258  
 horse  
 castration, 139–152, 141f–144f  
 cryptorchidectomy, 147f–152f, 152–156  
 llama castration, 303–304  
 swine  
 castration, 311–312, 313f  
 cryptorchid castration of piglets, 314, 316
- Testosterone, measuring levels of, 146
- Tetanus prophylaxis, 5, 95
- Third eyelid resection, 288
- Three-forceps method of tissue ligation, 73, 75f, 76
- 3-loop pulley suture, 90f, 91
- Thumb forceps, 37, 37f
- Tie-over dressings, 88, 88f
- Tiletamine/zolazepam (Telazol), for anesthetic induction  
 in cattle and small ruminants, 20t  
 in horses, 19t  
 in swine, 21t
- Tissue adhesives, 67
- Tissue forceps, 37, 42f
- Tooth  
 anatomy, 191  
 removal in llama, 305–309, 307f–308f  
 repulsion of cheek teeth in horses, 191–196, 193f–194f
- Total plasma protein (TPP), 24, 25t, 27
- Towel clamps, 37  
 Backhaus, 42f  
 Roeder, 42f
- Tracheostomy, in horse, 177–179, 178f
- Tracheotomy, 288–289
- Tracheotomy tube, 59f
- Tranquilization  
 in cattle, 16, 16t  
 in horses, 16, 17t  
 purposes for, 16  
 in small ruminants, 16, 18t  
 in swine, 16, 18t
- Transfixation ligature, 73, 75f
- Traumatic wounds, assessment of, 93–94
- Trephination, in horses, 192, 193f–194f, 195
- Trephine  
 Galt, 53f  
 Michel, 51f
- Triclosan, 63t, 65
- Triple drip solution, 19–21, 21t–22t
- Trocar, 99, 100f  
 corkscrew, 58f  
 wood-handle cattle, 58f
- Tuohy spinal needle, 11
- Twitch, 52f
- Typhlotomy, 231



- Udder infusion tube, 58f
- Umbilical herniorrhaphy in the foal, 207–210, 208f–209f
- Umbilical surgery, 289–290
- Umbilical tape, 66
- United States Army chisel, 49f
- United States Army retractor, 37, 47f
- Upper respiratory tract surgery in the horse, 177–189
- Urethral appendage, removal of goat, 296–297
- Urethroplasty by caudal relocation of the transverse fold, 159–160, 161f–162f
- Urethrostomy, in cattle, 236, 238, 239f–240f, 241
- Urine pooling, 159
- Urogenital surgery in cattle, 235–270 in horses, 139–174
- Urolithiasis in cattle, 238 obstructive in small ruminants, 296–297
- Uterine biopsy forceps, Jackson, 56f
- Utrecht method of uterine closure, 259, 262f–264f
- Vaginal prolapse, in cattle cervicoplexy for, 266, 268–270, 269f retention suturing (Buhner's method), 265–266, 267f–268f
- Vaginal speculum, 54f
- Vasectomy, in small ruminants, 298–299
- Ventilatory compromise, in anesthetized horses, 23
- Ventral midline laparotomy, in horse, 196–202, 197f–200f
- Ventriculectomy/ventriculocordectomy, in horse, 179–183, 181f–183f
- Vertical mattress suture, 79, 80f, 81, 105
- Vesicovaginal reflux, 159
- Viborg's triangle approach, to guttural pouches, 186, 187f
- Vicryl, 63t, 65
- Visceral prolapse, in equine castration complication, 145–146
- Volkman double-ended curette, 49f
- Volkman retractor, 37, 47f
- Volvulus abomasal, 221 cecal, 231
- Vulsellum forceps, 37, 45f
- Vulva, retention suturing of, 265–266, 267f–268f
- Water, withholding prior to surgery, 18
- Weingarth's ring, 216
- Weitlaner retractor, 38, 47f
- Whitehouse approach, to guttural pouches, 186
- Wire-cutting scissors, 41f
- Wound contraction, 93
- Wound management, 93–101 antibiotic therapy, 95 antiinflammatory drug therapy, 95–96 assessment of traumatic wounds, 93–94 closure and healing, 96–97 delayed primary, 96 primary, 96 secondary-intention, 96–97 wound care prior to closing, 97 drains, 97–101 active, 99, 100f–101f fenestrated tube, 99, 100f for hygromas, 98, 98f indications, 97 passive, 97–98 Penrose, 98, 98f for peritoneal drainage, 99, 101f sump-Penrose, 99, 101f excision and debridement, 95 exploration of wound, 94–95 preparation of wound, 94
- Wounds, reconstructive surgery of, 103–111 closure using tension-relieving incisions, 103–104, 104f elliptical excision undermining for repair of elongated defect, 103, 104f scar tissue removal, 105, 107f skin grafting, 105–111 bandaging, 109 meshed grafts, 107 pinch-skin, 107, 108f, 109 postgrafting, 109 punch-skin, 109, 110f random pattern flaps, 109, 111 recipient bed preparation, 107 tunnel grafting, 109, 111f sliding H-flap, 105, 105f Z-plasty, 105, 106f
- Xylazine for anesthetic induction in cattle and small ruminants, 20t in horses, 19t in swine, 21t for anesthetic maintenance, 22t epidural use of, 10, 13t–14t for tranquilization and sedation in cattle, 16t in horses, 16, 17t in small ruminants, 16, 18t in swine, 17t
- Yankauer suction tip, 51f
- Zolazepam. *See* Tiletamine/zolazepam (Telazol), for anesthetic induction
- Z-plasty, 105, 106f